

HCE-3210^{Q&As}

Hitachi Vantara Certified Specialist - NAS Solutions Architect

Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hce-3210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You are planning a data migration from a distributed Windows file server environment to a Hitachi NAS Platform 4000. You have discovered that some of the applications use hard-coded IP addresses. You have also identified that login scripts are used to map network drives for the end users.

Which two methods should you use to minimize impact to users? (Choose two.)

- A. Modify the login scripts to point to the new location.
- B. Use CNAME records to preserve the IP addresses for hard-coded applications.
- C. Use the same IP addresses on the EVS as the original server for applications.
- D. Use CHS to present a unified namespace and transparently migrate the applications.

Correct Answer: AC

QUESTION 2

You are designing a Hitachi NAS Platform 4000 cluster solution which will connect to an existing Hitachi VSP storage system using Hitachi Dynamic Provisioning (HDP). Which HDS best practice should you follow to maximize performance?

- A. The existing HDP Pool should be expanded to accommodate the HNAS workload.
- B. A new HDP Pool should be created to accommodate the HNAS workload.
- C. Superflush should be disabled.
- D. Write cache should be turned off on the VSP.

Correct Answer: B

QUESTION 3

A customer would like to implement a Hitachi NAS Platform in a NFS environment. They have two business requirements:

1.

The "Dev" environment has a write intensive random workload and requires excellent performance.

2.

The "Eng" environment has a 80% read and 20% write random workload and requires a right balance between cost and performance.

Which set of RAID group types should you choose?

- A. RAID-10forDevandRAID-6forEng
- B. RAID-5forDevandRAID-10forEng
- C. RAID-10forbothDevandEng
- D. RAID-10forDevandRAID-1forEng

Correct Answer: A

QUESTION 4

Which three statements describe the Hitachi NAS Platform file system auditing capabilities? (Choose three.)

- A. CIFS clients can be audited.
- B. Auditing is enabled on a per file system basis.
- C. NFSv3 clients can be audited.
- D. Auditing events can be sent via email.
- E. NFS clients can be denied access to a file system when auditing is enabled

Correct Answer: ABE

QUESTION 5

A customer plans to implement a four-node Hitachi NAS Platform 4000 cluster to replace their Linux clusters. To improve read response times, they want to have multiple copies of their files on different nodes in the cluster.

Which Hitachi NAS Platform feature will satisfy this requirement?

- A. Cluster Read Cache
- B. Cluster Write Cache
- C. Data Migrator
- D. Dynamic Read Balancing (DRB)

Correct Answer: A

QUESTION 6

You are designing a solution for a Hitachi NAS Platform 4000 that will be used in a VMware vSphere environment. The customer would like to use tiering to improve performance. What are three design best practices for Hitachi Tiered File Systems in this environment? (Choose three.)

- A. When using SAS drives in tier 0, RAID 1+0 should be used.
- B. RAID6 should be configured for HDT.
- C. SSD should be used in tier 0 to achieve the largest performance improvements.
- D. Use the "fs-analyze-data-usage" command to simulate Tiered File System metadata requirements.
- E. Use five percent of the total file system size to estimate the metadata requirements.

Correct Answer: ACE

QUESTION 7

You are designing a Hitachi NAS Platform solution for a customer who wants to use user mapping between their Windows and UNIX environments. The user names in each environment do not match, and you need to use the customer's existing LDAP or NIS services. What are three supported schema options to perform automatic mapping? (Choose three.)

- A. /etc/users
- B. RFC-2307
- C. sfu
- D. dfs
- E. imu

Correct Answer: BCE

QUESTION 8

You have prepared a solution upgrade proposal for an existing Hitachi NAS Platform customer who is planning to purchase additional nodes. While presenting to your customer, they ask about mixing models

within a cluster.

Which statement is correct?

- A. A cluster must be made of the same models.
- B. A cluster can be made of different models.
- C. Mixing 3000 models within a cluster is supported.
- D. All models can be clustered with each other.

Correct Answer: A

QUESTION 9

You are designing a replication solution for a production Hitachi NAS Platform. The solution requires file level replication to another Hitachi NAS Platform. However, there is a concern that the time to detect incremental changes will exceed the RPO. What should be done to reduce the replication time?

- A. Use Transfer Primary Access.
- B. Use the changed directory list option.
- C. Migrate the admin EVS to the node replicating the data.
- D. Create an additional IP address on the source EVS.

Correct Answer: B

QUESTION 10

A Hitachi NAS Platform customer has NFS clients accessing files on a UNIX security mode virtual volume. What security information is before granting or denying access? (Choose three.)

- A. UID
- B. atime
- C. GID
- D. file permission
- E. SID

Correct Answer: ACD

[HCE-3210 VCE Dumps](#)

[HCE-3210 Practice Test](#)

[HCE-3210 Exam Questions](#)