HP0-P25^{Q&As}

HP-UX 11i v3 Advanced System Administration

Pass HP HP0-P25 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/hp0-p25.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

Select the correct order to update HP-UX using DRD

Hot Area:

Step 1	drd runcmd swinstall –s
	Depot Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 2	
0100 -	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 3	
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 4	
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target disk

Hot Area:

Step 1	drd runcmd swinstall –s
	Depot_Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 2	
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 3	
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.lo
	drd runcmd update-ux
	drd clone-t-target_disk
Step 4	
and and a second se	drd runcmd swinstall –s
	Depot_Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runomd undate uv
	drd runcmd update-ux drd clone-t-target disk

Correct Answer:

Step 1	×
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 2	~
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 3	~
	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target_disk
Step 4	*
nemere. A	drd runcmd swinstall –s
	Depot_ Path Update-UX
	drd runcmd view
	/var/adm/sw/update-ux.log
	drd runcmd update-ux
	drd clone-t-target disk
	and brone tranget_alon

QUESTION 2

When looking at the status of Integrity VM guests in SMH, you notice that the second guest, "atcvpar I", is running, but no utilization data is displayed:

System Management Homepage							User root Home Syn.Ouf						Session never expe		
	rity	Virtual Server	Ma				AD>get			Host Name System Mo) Integrity BLL	190: (2 Manage Embedd	ement Processor red inlegity ILO3 *	
VS	Pa	tcuxbl8.rose.h	o.cor	n											2
		Create - Modify -	Delete	- v	lew -							Last re	fresh: Sep 10, 20	013 11.10 41 AM POT	Renest Data
	n Prin	ter-thendly											en elevente el eleven	PASSING STORE TAXABLE IN	Renest Data
	e Prin	ter fixendly Name (FQDN) atkummt	Delete Dist VM	Howard	05 O	Operating System	CHU	Concernation of	Memory Utilization		Network 90	Last m VCPU Count 1	rfresh: Sep 10, 20 GPU Entitlement 10%	VEPCPU Utilization	Remesti Data
	e Prin	ler-Inendly Name (FQDN)	Type VM	Howard and	05 0 Up	Operating System Cur HP-UX B 11 23	сри	Utilization	Memory UDBzallion	Clink DO 16 KDay	Network I/O	vCFU Count 1	CPU Entitlement 10%	VSPCPU	
	e Prin	ter fixendly Name (FQDN) atkummt	Туре	HOW 0		Du		Concernation of			(VCPU	CPU Entitlement 10%	VEPCPU Utilization	
	e Prin	terchiendly Name (FQDN) atcummt (ose hp.com) atcupart	Type VM	HOW 0	OS Up Up Down	()) ()) ()) ()) ()) ()) ()) ())	are L	0 *	46 % of 400	15 kilkra	40 10.19	vCFU Count 1	CPU Entitlement 10%	VSP CPU Utilization	

What are the most likely causes and solutions for this problem? (Select two)

A. The CIM server is not running inside the VM guest log into the VM and start the CIM server

B. The VM guest does not have the required NPIV drivers installed. Install the NPIV drivers in the VM guest

C. The VM host does not have the required AVIO drivers installed. Install the AVIO drivers on the VM host

D. The VM guest does not have the required AVIO drivers installed. Install the AVIO drivers in the VM guest

E. The VM does not have the guest kit installed. Install the VM guest kit in the VM.

Correct Answer: BE

QUESTION 3

You want to start the SMH GUI from a web browser. You have tried using the unsecured (2301) and secured (2381) ports, but neither will launch the SMH GUI. Which command shows if SMH is configured to start at boot time?

A. smhconfig

B. hpsmh

- C. smhstartconfig
- D. smh

Correct Answer: C

QUESTION 4

Which command can you use to display all network interfaces including interface link state interface type, and driver type?

- A. nwmgr
- B. ioscankfnClan
- C. netstat -an
- D. lanscan
- Correct Answer: A

QUESTION 5

What does a high number of Voluntary Context Switches for a process indicate?

- A. The process has been removed and returned to the run queue by the scheduler
- B. The "nice" value associated with the process has frequently changed
- C. The process has regularly been deactivated by the swapper
- D. The process has gone to sleep a number of times

Correct Answer: D

QUESTION 6

You are trying to create a new Serviceguard cluster with two nodes. The /etc/cmcluster/cmclnodelist file exists and is correct on both nodes. They can resolve hostnames and IP addresses correctly, and Serviceguard is installed correctly on both nodes. When running the command cmquerycl -v -n nodeB - nnodeA on node nodeA, it works but when run on node nodeB, the same command fails with the following message:

# cmquerycl -v -n nodeB -n nodeA Gathering storage information Unable to connect to node nodeB: Permission denied Unable to connect to node nodeA: Permission denied	
Gathering network information Failed to gather configuration information. #	

What is the cause of this problem?

A. The "auth" service entry is commented out in the /etc/inetd. conf file on node nodeA.

- B. The "auth" service entry is commented out in the /etc/inetd conf file on node nodeB
- C. The "hacl-probe" service entry is commented out in the /etc/inetd conf file on node nodeA
- D. The "hacl probe" service entry is commented out in the /etc/inetd conf file on node nodeB.

Correct Answer: D

QUESTION 7

White investigating issues on a Service guard cluster, you notice an entry in the syslog. Log file similar to:

CM-CMD[2054]: cmhaltpkg -v my_pkg.

What does this indicate?

- A. The cmhaltnode command has issued the cmhaltpkg command
- B. A control script has run the cmhaltpkg command
- C. Someone has manually run the cmhaltpkg command
- D. Running cmapplyconf has issued the cmhaltpkg command

Correct Answer: D

QUESTION 8

A customer manages several applications within a single OS and wants to define policies to manage the allocation of CPU, memory, and disk bandwidth per application.

What can the customer use?

- A. Virtual Machine Manager
- **B. HP-UX Scheduler**
- C. Global Workload Manager
- D. Process Resource Manager

Correct Answer: B

QUESTION 9

Refer to the error

```
# vgchange -a e /dev/vg01
vgchange: Activation of volume group "/dev/vg01" denied by another node in the cluster.
Request on this system conflicts with Activation Mode on remote system.
```

What is the most likely reason that vg01 activation failed?

- A. vg01 is already active on another node.
- B. The other cluster node is down

- C. vg01 is not marked for exclusive use
- D. The cluster is down

Correct Answer: C

QUESTION 10

What is the function of the rtprio command?

- A. Runs or adjusts a process with an HP-UX Real Time priority.
- B. Runs or adjusts a process with a POSIX thread priority
- C. Assigns CPU percentage resources to a process
- D. Assigns the raw I/O priority of a process.

Correct Answer: C

QUESTION 11

Which statement about auditing Standard Mode Security Extensions (SMSE) is correct?

A. SMSE uses an external daemon to maintain the audit logs.

- B. SMSE Audit log files can be read by the users of the SMSE-Administrator Group "smeadm".
- C. SMSE auditing is available on HP-UX 11i v1, HP-UX 11i v2, and HP-UX lit v3.
- D. SMSE auditing is compatible with NIS and LDAP.

Correct Answer: C

QUESTION 12

How do you boot a firmware-based vPar over the network on the HP Integrity Superdorne 2 server?

A. Use the vparboot command from the Virtualization Services Platform (VSP), and run the vparconsole command. Use the CO command to getfor console. Then use the lanbootEFI command.

B. Use the vparconsole command to connect to the vPaiiLO, and use the PC command to power on the vPar Use the Co command to get to the console use the lanbootEFI command.

C. Login to the Superdome 2QA, and use the vparboot command. Use the COcommand to connect to the console. Then use the lanbootEFI console

D. Login to another vPar on the same nPar. Use the vparboot-I command to lanboot the vPar.

Correct Answer: D

QUESTION 13

A customer wants to run some jobs periodically on a database inside ot HK-UA integrity virtual machines.

At which level does the administrator need to assign rights to allow the user account to create and execute cron jobs?

- A. at the HP-UX OS level on the HP-UX Integrity VM only
- B. at the database level and at the HP-UX Integrity VM HP-UX OS level
- C. at the database level and at the HP-UX Integrity Host OS level
- D. at the HP-UX OS level on the HP-UX Integrity Host only

Correct Answer: A

QUESTION 14

What is the unique partitioning feature of nPars?

- A. I/O sharing in cell-based servers
- B. Electrical isolation from other partitions
- C. VM isolation in blade-based servers
- D. Storage sharing in blade-based servers

Correct Answer: B

QUESTION 15

Which tool allows you to control which processor or locality domain a thread will execute on?

- A. mpsched
- B. glance
- C. psets
- D. nice

Correct Answer: A

HP0-P25 VCE Dumps

HP0-P25 Practice Test

HP0-P25 Braindumps