

HP0-P25^{Q&As}

HP-UX 11i v3 Advanced System Administration

Pass HP HP0-P25 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp0-p25.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the error

```
# vgchange -a e /dev/vg01
vgchange: Activation of volume group "/dev/vg01" denied by another node in the cluster.
Request on this system conflicts with Activation Mode on remote system.
```

What is the most likely reason that vg01 activation failed?

- A. vg01 is already active on another node.
- B. The other cluster node is down
- C. vg01 is not marked for exclusive use
- D. The cluster is down

Correct Answer: C

QUESTION 2

You need to create a five node Serviceguard cluster.

Which arbitration method must be selected for this configuration?

- A. Lock LUN
- B. Physical Disk
- C. Quorum Server
- D. Cluster Lock Disk

Correct Answer: A

QUESTION 3

Which HP-UX tool can be used to get detailed low level metrics of code running on Itanium processors?

- A. prospect
- B. caliper
- C. sar
- D. lsof

Correct Answer: A

QUESTION 4

You want to start the SMH GUI from a web browser. You have tried using the unsecured (2301) and secured (2381) ports, but neither will launch the SMH GUI. Which command shows if SMH is configured to start at boot time?

- A. smhconfig
- B. hpsmh
- C. smhstartconfig
- D. smh

Correct Answer: C

QUESTION 5

A customer manages several applications within a single OS and wants to define policies to manage the allocation of CPU, memory, and disk bandwidth per application.

What can the customer use?

- A. Virtual Machine Manager
- B. HP-UX Scheduler
- C. Global Workload Manager
- D. Process Resource Manager

Correct Answer: B

QUESTION 6

A system administrator is converting a legacy-style HP Serviceguard package to modular style. The administrator has modified the "customer-define\\": of the control script and these customizations need to be moved into an external script. Which command will perform this task?

- A. cmmigratepkg
- B. cmquerycl
- C. cmgetconf
- D. cmmakepkg

Correct Answer: D

QUESTION 7

A customer is moving to an Integrity platform but has legacy PA-RISC applications that cannot be recompiled on Integrity.

Which type of container can provide binary emulation environment for the customer's applications?

- A. PA RISC Container
- B. System Container
- C. HP 9000 Container
- D. Workload Container

Correct Answer: C

QUESTION 8

A volume group is the sixth LVM2-2 volume group on a server. The device tiles for the 3rd LV in this VG have accidentally been deleted. Previous VGs have been created with the default numbering scheme. When using the `mknod` command string to recreate these files, what would be the correct major/minor number pair?

- A. 64 0x050003
- B. 64 0x005003
- C. 128 0x050003
- D. 128 0x005003

Correct Answer: D

QUESTION 9

What are the customer benefits of the HP-UX Operating Environments (e.g. VSE-OE, HA-OE, DC-OE), as compared to ordering the same software separately? (Select three)

- A. Reduced purchasing cost for customer
- B. Reduced amount of codewords required to manage software
- C. Performance of HP applications tuned with the HP-UX OS
- D. Reduced amount of disk space used for OS and HP applications

E. Reduced new-system sales quote and configuration complexity

F. reduced number of service contracts

Correct Answer: ACF

QUESTION 10

Your customer's security policy does not allow them to use the root user for any application. Select the correct order to enable a non-root user for WBEM subscriptions.

Hot Area:

Step 1

<input type="checkbox"/>
<input type="checkbox"/> enable non privileged users
<input type="checkbox"/> add rights to the namespaces(s)
<input type="checkbox"/> create WBEM user
<input type="checkbox"/> subscribe to WBEM events

Step 2

<input type="checkbox"/>
<input type="checkbox"/> enable non privileged users
<input type="checkbox"/> add rights to the namespaces(s)
<input type="checkbox"/> create WBEM user
<input type="checkbox"/> subscribe to WBEM events

Step 3

<input type="checkbox"/>
<input type="checkbox"/> enable non privileged users
<input type="checkbox"/> add rights to the namespaces(s)
<input type="checkbox"/> create WBEM user
<input type="checkbox"/> subscribe to WBEM events

Step 4

<input type="checkbox"/>
<input type="checkbox"/> enable non privileged users
<input type="checkbox"/> add rights to the namespaces(s)
<input type="checkbox"/> create WBEM user
<input type="checkbox"/> subscribe to WBEM events

Hot Area:

Step 1

<input type="text"/>
<input type="text" value="enable non privileged users"/>
<input type="text" value="add rights to the namespaces(s)"/>
<input type="text" value="create WBEM user"/>
<input type="text" value="subscribe to WBEM events"/>

Step 2

<input type="text"/>
<input type="text" value="enable non privileged users"/>
<input type="text" value="add rights to the namespaces(s)"/>
<input type="text" value="create WBEM user"/>
<input type="text" value="subscribe to WBEM events"/>

Step 3

<input type="text"/>
<input type="text" value="enable non privileged users"/>
<input type="text" value="add rights to the namespaces(s)"/>
<input type="text" value="create WBEM user"/>
<input type="text" value="subscribe to WBEM events"/>

Step 4

<input type="text"/>
<input type="text" value="enable non privileged users"/>
<input type="text" value="add rights to the namespaces(s)"/>
<input type="text" value="create WBEM user"/>
<input type="text" value="subscribe to WBEM events"/>

Correct Answer:

Step 1

<input type="checkbox"/>	enable non privileged users
<input type="checkbox"/>	add rights to the namespaces(s)
<input type="checkbox"/>	create WBEM user
<input checked="" type="checkbox"/>	subscribe to WBEM events

Step 2

<input type="checkbox"/>	enable non privileged users
<input type="checkbox"/>	add rights to the namespaces(s)
<input checked="" type="checkbox"/>	create WBEM user
<input type="checkbox"/>	subscribe to WBEM events

Step 3

<input type="checkbox"/>	enable non privileged users
<input checked="" type="checkbox"/>	add rights to the namespaces(s)
<input type="checkbox"/>	create WBEM user
<input type="checkbox"/>	subscribe to WBEM events

Step 4

<input type="checkbox"/>	enable non privileged users
<input checked="" type="checkbox"/>	add rights to the namespaces(s)
<input type="checkbox"/>	create WBEM user
<input type="checkbox"/>	subscribe to WBEM events

QUESTION 11

Which methods allow you to install an Integrity server using an Ignite-UX server on a different subnet? (Select two)

- A. Use the dbprofileEFI command
- B. Use the ifconfigEFI command.
- C. Use the loadfile command
- D. Use a boot helper system
- E. Use the lanboot command

Correct Answer: BE

QUESTION 12

Which statements about HP Serviceguard heartbeats are true? (Select two)

- A. Heartbeat packets are sent across all available LAN interfaces
- B. Heartbeat packets are the primary mechanism used by cluster nodes to communicate status information.
- C. Loss of even a single heartbeat message causes cluster reformation.
- D. A minimum of two heartbeat LAN interfaces are recommended in a cluster.
- E. Heartbeat packets are sent across dedicated heartbeat LAN interfaces

Correct Answer: BE

QUESTION 13

After adding the server named DGHOST1 as a cluster node, the system administrator runs the command `cmviewc1 v` and sees this message:

```
Access denied to quorum server 10.1.1.1
```

Which steps will resolve this issue? (Select two.)

- A. Add DGHOST1 to the file `/etc/cmcluster/qs_authfile` on the quorum server
- B. Add the quorum server name to the file `/etc/cmcluster/cmclnodelist` on DGHOST1
- C. Run `csshsetup -r DGHOST1` on the quorum server
- D. Set the `QS_TIMEOUT_EXTENSION` variable to increase timeout
- E. Run `Usr/sbin./qs -update` on the quorum server

Correct Answer: BD

QUESTION 14

A company is migrating three applications currently running on three separate HP-UX Integrity servers. The plan is to migrate them into a Superdome 2 Serv. three applications are business critical, and the main focus is the uptime, as any interruptions cause financial losses.

Which HP-UX virtualization technology provides the best solution?

- A. Create a single nPar.
- B. Create three nPars.

C. Create three vPars

D. Create three Integrity Virtual Machines

Correct Answer: C

QUESTION 15

Which statement about auditing Standard Mode Security Extensions (SMSE) is correct?

A. SMSE uses an external daemon to maintain the audit logs.

B. SMSE Audit log files can be read by the users of the SMSE-Administrator Group "smeadm".

C. SMSE auditing is available on HP-UX 11i v1, HP-UX 11i v2, and HP-UX lit v3.

D. SMSE auditing is compatible with NIS and LDAP.

Correct Answer: C

[Latest HP0-P25 Dumps](#)

[HP0-P25 PDF Dumps](#)

[HP0-P25 Study Guide](#)