

HP2-T23^{Q&As}

Supporting Industry Standard Server Solutions

Pass HP HP2-T23 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hp2-t23.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

A customer has a ProLiant DL380p Gen8 server with one CPU and four 16 GB RDIMMs with 24 total DIMM slots. The customer wants to increase the memory in this server.

Which memory option is valid?

- A. Remove the existing memory and populate all memory slots with UDIMM memory.
- B. Populate the remaining 20 memory slots with additional UDIMM memory.
- C. Populate another eight memory slots with additional RDIMM memory.
- D. Populate the remaining 20 memory slots with additional RDIMM memory.

Correct Answer: C

QUESTION 2

Where is the data written when power is lost on an HP Smart Array controller?

- A. Master boot record
- B. Flash backed write cache
- C. Network controller
- D. System memory

Correct Answer: B

QUESTION 3

A customer needs to remotely monitor the UPS devices on their network. They need to send alert traps to HP Systems Insight Manager (HP SIM) and other SNMP management programs and generate detailed system logs.

What should the customer use to meet these requirements?

- A. HP Power Protector
- B. HPRP3600/3UPS
- C. HP Extended Runtime Module (ERM)
- D. HP UPS Network Module

Correct Answer: D

QUESTION 4

A ProLiant DL380 Gen8 ser/er has become unresponsive several times during the last two weeks. You contacted HP Technical Support and were asked to send them the Active Health System log for the last two weeks. Where can you download this log? [Select two.]

- A. Array Configuration Utility (ACU)
- B. iLO information page
- C. Integrated Management log (IML)
- D. Intelligent Provisioning Maintenance page
- E. ROM Based Setup Utility (RBSU)

Correct Answer: BD

QUESTION 5

Which statements are correct about HP Systems Insight Manager (HP SIM) 7.0 Agentless Management? (Select two.)

- A. HP SIM communicates with the CPU and collects essential data for the operating system.
- B. Agentless Management is provided by the CPU.
- C. HP SIM communicates with the iLO Management Engine to collect hardware data.
- D. The Agentless Management Service runs on the host to provide software information directly to the iLO Management Engine.

Correct Answer: CD

QUESTION 6

What is required by iLO to support agentless management? (Select two)

- A. Write Community
- B. System Location
- C. SNMP Alert Destination
- D. Read Community
- E. Trap Community

Correct Answer: CD

QUESTION 7

For which purpose is HP Power Protector used?

- A. Preventing the overload of a power supply unit in a c7000 enclosure
- B. Power capping of a c7000 enclosure
- C. Web-based management of the UPS
- D. Making a backup of the system disk

Correct Answer: B

QUESTION 8

If you install two Onboard Administrator modules with different firmware revisions in a c7000 enclosure, which module will be active by default?

- A. The one on the left of the enclosure
- B. The one on the right of the enclosure
- C. The one with the latest firmware, regardless of position
- D. The one with the original firmware regardless of position

Correct Answer: C

QUESTION 9

Which tool can you use to upgrade the firmware of an HP 3Gb SAS BL Switch?

- A. Centralized Management Console
- B. Virtual Connect Manager
- C. Virtual SAS Manager
- D. Systems Insight Manager

Correct Answer: C

QUESTION 10

A customer is using a c3000 enclosure and wants to install a redundant Onboard Administrator (OA). What should the customer change in the existing enclosure to support the additional OA?

- A. OA rail kit
- B. power supplies
- C. OA firmware
- D. enclosure midplane

Correct Answer: C

QUESTION 11

You need to capture the configuration and support dump of several Virtual Connect domains. Which tool can you use to perform this action from a central system?

- A. Insight Control
- B. HP Systems Insight Manager (HP SIM)
- C. Virtual Connect Enterprise Manager (VCEM)
- D. Virtual Connect Support Utility (VCSU)

Correct Answer: D

QUESTION 12

What should be installed on a ProLiant Gen8 server to display operating system information within the iLO 4 GUI?

- A. System Management Home Page
- B. HP Management Agents
- C. Agentless Management Service
- D. ProLiant Support Pack

Correct Answer: C

QUESTION 13

You cannot get to the network from any of the server blades in a c7000 enclosure with 10GbE Pass-Thru modules.

What should you verify first for proper connectivity to the network?

- A. Correct SFPs are installed
- B. External switch supports at least Gigabit speed
- C. Interconnect link between the Pass-Thru modules
- D. External switch set to half duplex

Correct Answer: C

QUESTION 14

Which step must be performed after the system board is replaced on a ProLiant BL460c G8 server blade?

- A. Enable ASR.
- B. Re-enter the serial number.
- C. Clear the NVRAM.
- D. Reconfigure the array.

Correct Answer: B

QUESTION 15

Which statement describes the features of Service Pack for ProLiant (SPP)?

- A. SPP is a combination of the PSPs and the HP SmartUpdate Firmware DVD.
- B. SPP requires configuration through RBSU.
- C. SPP is the replacement for the Service and Diagnostics tools.
- D. SPP is supported only on servers running a Windows operating system.

Correct Answer: C

[Latest HP2-T23 Dumps](#)

[HP2-T23 PDF Dumps](#)

[HP2-T23 Study Guide](#)