# HPE0-J80<sup>Q&As</sup>

Delta - Architecting Multi-Site HPE Storage Solutions

### Pass HP HPE0-J80 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/hpe0-j80.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

A customer wants to implement asynchronous replication to a third site that is 450 miles (725 kilometers) from the company\\'s main site. Which method should be used to size transfer rates and times for Remote Copy in this HPE StoreVirtual environment?

- A. Set up analyzer at both sites to monitor for 24 hours.
- B. Collect performance data at both sites for 24 hours.
- C. Perform multiple remote copy snaps to get an average size and rate.
- D. Set up local snapshots to identify the change rate.

Correct Answer: B

#### **QUESTION 2**

Which requirements must be considered when designing and sizing an HPE 3PAR StoreServ environment for periodic asynchronous replication?

- A. Size only the source array to account for the IOPS resulting from snapshot created by Remote Copy.
- B. Size both arrays to account for the IOPS resulting from snapshots created by Remote Copy.
- C. Use a CPG with SAS drives for Remote Copy snapshots.
- D. Size only the target array to account for IOPS resulting from snapshots created by Remote Copy.
- E. Use a CPG with nearline drives for Remote Copy snapshots.

Correct Answer: AE

#### **QUESTION 3**

A customer purchased an HPE 3PAR all-flash array to accelerate the company\\'s databases. The customer is concerned about the risk of data loss. Synchronous replication is currently being used, but it is causing slow I/O due to limited network bandwidth and latency, both of which cause application slowdown.

Which alternative solution should you propose to address the issue?

- A. Asynchronous Streaming Remote Copy
- B. Synchronous Long Distance Remote Copy
- C. Periodic Asynchronous Remote Copy
- D. Peer Persistence

#### Correct Answer: C

## Leads4Pass

#### **QUESTION 4**

Which Statement is correct about designing a Flat SAN solution using an HPE 3PAR StoreServ storage system?

- A. Up to four connections/uplinks per enclosure are supported.
- B. The initiator minimum bandwidth setting should be set to 4 Gb.
- C. Up to six connections per Virtual Connect Module are supported.
- D. The initiator peak bandwidth settings should be set to 6 Gb.

Correct Answer: A

#### **QUESTION 5**

Which object is the unit of failover for HPE 3PAR StoreServ File Persona?

- A. File Provisioning Group
- B. File Share
- C. File Store
- D. Virtual File Server
- Correct Answer: D

#### **QUESTION 6**

Which functionalities or use cases are included in all HPE Converged Storage offerings for software-defined data centers? (Select three.)

- A. Platforms that provide key elements of programmatic control of the SDDC infrastructure
- B. HPE StoreVirtual VSA, HPE 3PAR StoreServ, and HPE StoreOnce VSA
- C. Solutions that provide robust solutions, remote site protection, and simple enterprise- class choice for VDI
- D. Converged Storage appliances that include the HPE Apollo and HPE Moonshot platforms

E. Platforms that support data center control that is entirely automated by software, providing the ability for applications to request infrastructure resources

F. Storage platforms designed to support virtualization growth at all stages of the expected data and performance needs over the life of the implementation

Correct Answer: BDE

### Leads4Pass

#### **QUESTION 7**

While preparing to demonstrate SSMC functionality with an HPE 3PAR StoreServ 7400, you notice that the System Reporter templates for the PoC system are different from those you have

IT Certification Guaranteed, The Easy Way! seen for other arrays. While examining the SSMC User Guide, you discover that a System Reporter license is still needed for some System Reporter functionality in SSMC

Which SSMC System Reporter functionality requires the array to have a System Reporter license? (Select two.)

A. online performance reporting

- B. historical performance reporting
- C. performance alerts
- D. export functionality
- E. web-based reporting

#### **QUESTION 8**

Which HPE backup product enables data-at-rest encryption?

- A. HPE Enterprise Secure Key Manager
- B. HPE StoreOnce, using the Catalyst Store
- C. HPE StoreOnce Security Pack
- D. HP Library and Tape Tools

Correct Answer: A

#### **QUESTION 9**

You are designing an iSCSI solution for a customer with one data center, who is investing in a second data center that will be ready in the near future. The networking infrastructure of the current data center is generally sufficient for use with an iSCSI storage solution, but it is from a different vendor. The new data center will be equipped with current HPE Networking switches.

A. For maximum performance, Jumbo Frames should be configured on the storage nodes only

- B. Jumbo Frames are only required for low latency applications
- C. Jumbo Frame sizes are not standardized across all switch vendors
- D. Only switch ports must be configured to forward Jumbo Frames
- Correct Answer: C

Correct Answer: DE

### **QUESTION 10**

You design and size an HPE StoreVirtual solution for an SMB customer environment according to these

requirements.

- -High availability between two data centers is needed
- -3 TB of data should be replicated
- -21 Gb/s links are needed between Sites A and B
- -A round trip time of 1.8 ms is needed between Sites A and B
- -A third site, Site C, is needed for Failover Manager (FOM) connected with 100 MB/s.

There is a latency of 55 ms between Site C and the other sites. Which potential issue should be discussed

- with the customer before proposing the HPE StoreVirtual solution?
- A. Maximum latency requirements are not met for Site C.
- B. Minimum bandwidth requirements between Sites C and B are not met.
- C. Minimum round trip time for Sites A and B is not met.
- D. Minimum bandwidth requirements for Site C are not met.

Correct Answer: D

Latest HPE0-J80 Dumps

HPE0-J80 PDF Dumps

HPE0-J80 Study Guide