

# HPE0-S50<sup>Q&As</sup>

Integrating HPE Synergy Solutions

**Pass HP HPE0-S50 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe0-s50.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A customer that uses a third-party storage array plants to set up Fibre Channel (FC) zones with the new HPE Synergy 12000 Frame. Which tool creates the FC zones in a Synergy solution?

- A. storage page in the Synergy console
- B. Virtual Connect module manager
- C. corresponding SAN manager
- D. Storage array command line utility

Correct Answer: A

---

## QUESTION 2

DRAG DROP

A customer needs to add Image Streamer to a Synergy 3-frame environment.

Use the arrow or click and drag all of the tasks required to perform this upgrade on the left into the correct order on the right. (Note: not all steps may be needed.)

Select and Place:

Tasks	Order
Power down and unassign server profiles, and then delete the logical enclosure.	
Add the deployment server.	
Reassign server profiles and power up the compute modules.	
Copy/edit the Logical Enclosure Group and Enclosure Group, adding Image Streamer.	
Create a new Logical Enclosure using Image Streamer enabled EG.	
Delete the Logical Enclosure.	

Correct Answer:

Tasks	Order
	Create a new Logical Enclosure using Image Streamer enabled EG.
	Copy/edit the Logical Enclosure Group and Enclosure Group, adding Image Streamer.
	Add the deployment server.
	Power down and unassign server profiles, and then delete the logical enclosure.
	Delete the Logical Enclosure.
	Reassign server profiles and power up the compute modules.

**QUESTION 3**

A customer is planning an HPE Synergy solution with 20 frames and needs to minimize the number of management ports that are required to connect the frames into the existing management network.

Which procedure should the Synergy integrator use to address the customer's concern?

- A. Connect FLMs from all frames into a management ring. Then connect the management ring to the customer's management network using two uplinks.
- B. Connect FLMs from all frames to two external switches for redundancy. Then connect the two uplinks from the two switches into the customer's management network.
- C. Connect the RJ-45 front ports of each frame to two external switches for redundancy. Then connect the uplink from the two switches into the customer's management network.
- D. Connect the RJ-45 front ports of each frame to an external switch. Then connect the uplink from the external switch into the customer's management network.

Correct Answer: A

**QUESTION 4**

What should a Synergy integrator do to resolve an unresponsive HPE Synergy Frame Link Module?

- A. Press the reset button on the front of the HPE Synergy Frame.
- B. Remove and reinstall the Frame Link Module in the original bay.

- C. Remove and reinstall the Composer.
- D. Disconnect and reconnect the Frame Link Module from the management network.

Correct Answer: B

---

**QUESTION 5**

A customer needs to attach 20 HPE 1TB 6G SAS SFF hard drives to an HPE Synergy 480 Gen9 compute module. The customer needs a fully redundant storage solution.

Which HPE products meet the customer's needs? (Choose three.)

- A. HPE D3940 storage module with HPE Synergy D3940 Redundant I/O Adapter.
- B. HPE D3940 storage module with Single I/O Adapter.
- C. two HPE Synergy 12Gb SAS Connection Modules
- D. two HPE Smart Array P542D Controllers
- E. one HPE Smart Array P542D Controller
- F. one HPE Synergy 12Gb SAS Connection Module

Correct Answer: AEF

---

**QUESTION 6**

How can a Synergy integrator increase the efficiency with which a Synergy solution can be provisioned? (Choose two.)

- A. Use Powershell to automate configuration and application of server profiles.
- B. Use Image Streamer to provide a stateless OS environment.
- C. Associate all Synergy frames with the same data center.
- D. Use a Multimodule Link Aggregation Group (MLAG) to automate link failover.
- E. Use Composer as a PXE server to automate OS deployments.

Correct Answer: AB

---

**QUESTION 7**

Using a laptop, how can the Synergy integrator perform the initial setup on an HPE Synergy 12000 Frame?

- A. Connect a CAT5 cable to the front panel module, use the HPE Synergy default IP address of 192.168.10.31, port 5900, and connect to the HPE Synergy console with VNC.
- B. Connect a CAT5 cable to the MGMT port of the top Frame Link Module and connect to the HPE Synergy console

with VNC to the address 248.196 port 5900.

C. Connect a CAT5 cable to the front panel module, use the HPE Synergy default IP address of 192.168.10.1, port 5900, and connect to the HPE Synergy console with a web browser.

D. Connect a CAT5 cable to the MGMT port of the top Frame Link Module and connect to the HPE Synergy console with a web browser to the address 192.168.10.1, port 5900.

Correct Answer: B

---

### QUESTION 8

Which component of the HPE Synergy solution provides a customer with the ability to rapidly provision a consistent operating environment?

- A. OpenView
- B. Reference Architecture
- C. Composer
- D. Image Streamer

Correct Answer: C

---

### QUESTION 9

A customer has a multi-frame Synergy solution. The customer's Support team recently missed some important alerts in its Composer interface because each pair of Composers resides on a separate management network. What should the customer do to minimize the risk of this reoccurring?

- A. Configure HPE Intelligent Management Center.
- B. Implement HPE Synergy Global Dashboard.
- C. Configure Remote Support.
- D. Implement HPE Systems Insight Manager.

Correct Answer: B

---

### QUESTION 10

DRAG DROP

Use the arrow or click and drag the steps on the left to set up a new HPE Synergy 12000 Frame into the correct order on the right.

Select and Place:

