

HPE6-A07^{Q&As}

Aruba Certified ClearPass Associate 6.5

Pass HP HPE6-A07 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a07.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What information is needed to add ClearPass to an Active Directory Domain? (Choose two.)

- A. domain user credentials
- B. CPPM enterprise credentials
- C. Administrator FQDN
- D. domain controller FQDN
- E. Administrator user credentials

Correct Answer: DE

Reference: https://www.arubanetworks.com/techdocs/ClearPass/Aruba_DeployGd_HTML/Content/Active%20Directory/Joining_AD_domain.htm

QUESTION 2

Which statement most accurately describes how the HTTP collector works for profiling?

- A. HTTP packets are inspected when a user accesses any guest page on ClearPass.
- B. When a user access the Aruba controller captive portal page, HTTP packets are captured by ClearPass.
- C. HTTP packets are inspected only when a user accesses the ClearPass administration UI page.
- D. When a user accesses any internet page, HTTP packets are captured by ClearPass.
- E. HTTP packets are forwarded from the Controller to ClearPass.

Correct Answer: A

QUESTION 3

Edit Endpoint	
EndPoint	Attributes
MAC Address	0023e9339744
Description	
Status	<input type="radio"/> Known client <input checked="" type="radio"/> Unknown client <input type="radio"/> Disabled client
MAC Vendor	FS Networks, Inc.
Added by	Policy Manager
Online Status	Not Available
IP Address	10.2.101.251
Static IP	TRUE
Hostname	-
Device Category	Unknown
Device OS Family	Unknown
Device Name	Unknown
Added At	Feb 10, 2015 13:10:57 PST
Updated At	Feb 16, 2015 01:18:59 PST
Show Fingerprint	<input checked="" type="checkbox"/>
Endpoint Fingerprint Details TCP Device Category: TCP Fingerprint:	

Save Cancel

Refer to the exhibit. Based on the information shown, what is the status of the network?

- A. ClearPass can do TCP OS finger printing but Dictionary is not updated.
- B. ClearPass cannot do TCP OS finger printing.
- C. Device is Unknown to ClearPass.
- D. Device is not authenticated.
- E. ClearPass supports TCP finger printing but it is not enabled.

Correct Answer: E

QUESTION 4

What must a network administrator configure on ClearPass to enable RADIUS authentication with a network access device (NAD)? (Choose two.)

- A. An NTP server needs to be set up on the NAD.
- B. The ClearPass server certificate must be installed on the NAD.

- C. A shared secret must be configured on the ClearPass server and NAD.
- D. The ClearPass server must have the network device added as a valid NAD.
- E. A bind username and bind password must be provided.

Correct Answer: CD

QUESTION 5

A ClearPass deployment needs to be designed to determine whether a user authenticating is an HR department employee in the Active Directory Server and whether the user's device is healthy.

Which policy service components will the network administrator need to use?

- A. Posture, Authentication and Authorization
- B. Posture and Firewall Roles
- C. Posture and Onboard
- D. Authentication and Authorization
- E. Posture, Authentication and Onboarding

Correct Answer: A

Reference http://www.arubanetworks.com/techdocs/ClearPass/Aruba_CPPMOnlineHelp/Content/CPPM_UserGuide/About%20ClearPass/About_ClearPass.htm

QUESTION 6

Configuration>>Services>>Reorder

Reorder Services

Order	Name
1	[Policy Manager Admin Network Service]
2	pod8wired
3	pod8-mac auth
4	pod8wireless

Service Rule

((Radius:IETF:NAS-Port-Type EQUALS Ethernet (15))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8)))
 AND (Connection:Protocol EQUALS RADIUS)

Service Rule

((Radius:IETF:NAS-Port-Type BELONGS_TO Ethernet (15), Wireless-802.11 (19))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Call-Check (10))
 AND (Connection:Client-Mac-Address EQUALS %{Radius:IETF:User-Name}))
 AND (Connection:Protocol EQUALS RADIUS)

Service Rule

((Radius:IETF:NAS-Port-Type EQUALS Wireless-802.11 (19))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8))
 AND (Radius:Aruba:Aruba-Location-Id EXISTS)
 AND (Radius:Aruba:Aruba-Essid-Name EXISTS))
 AND (Connection:Protocol EQUALS RADIUS)

Refer to the exhibit. A user connects to an Aruba Access Point wireless SSID named "secure-corporate" and performs an 802.1X authentication with ClearPass as the authentication server.

Based on this service configuration, which service will be triggered?

- A. pod8-mac auth
- B. No service will be triggered
- C. pod8wireless
- D. [Policy Manager Admin Network Service]
- E. pod8wired

Correct Answer: A

QUESTION 7


Which two configuration options are necessary to add a Network Access Device into the ClearPass Policy Manager? (Choose two.)

- A. Admin Password
- B. NAD IP Address

- C. Shared Secret
- D. Console Password
- E. HTTPS address

Correct Answer: BC

QUESTION 8



Refer to the exhibit. Based on the information shown, why did the Joining AD fail?

- A. the GSS is wrong
- B. the wrong FQDN of the AD was entered while joining
- C. the wrong domain name was selected while joining the AD
- D. there is a clock difference between ClearPass and AD servers
- E. there is an IP communication issue

Correct Answer: D

QUESTION 9

Which Operating Systems can use Network Access Protection (NAP) policy agents? (Select two.)

- A. Windows XP
- B. Android
- C. Windows 7
- D. Mac OS X
- E. iOS 6 and higher

Correct Answer: AC

QUESTION 10

When enforcement action is used in ClearPass to bounce a client?

- A. Webpage redirect
- B. ACL
- C. VLAN attribute
- D. RADIUS VSA
- E. RADIUS CoA

Correct Answer: E

In the Profiler tab, change the RADIUS CoA Action to "[Cisco - Bounce-Host-Port]". Make sure your switch is configured for this.

Reference <http://community.arubanetworks.com/t5/Security/MAC-Auth-Service-for-AP-s-Printers-Etc/tdp/243252>

[HPE6-A07 PDF Dumps](#)

[HPE6-A07 Practice Test](#)

[HPE6-A07 Braindumps](#)