

HPE6-A78^{Q&As}

Aruba Certified Network Security Associate

Pass HP HPE6-A78 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe6-a78.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You configure an ArubaOS-Switch to enforce 802.1X authentication with ClearPass Policy Manager (CPPM) denned as the RADIUS server Clients cannot authenticate You check Aruba ClearPass Access Tracker and cannot find a record of the authentication attempt.

What are two possible problems that have this symptom? (Select two)

- A. users are logging in with the wrong usernames and passwords or invalid certificates.
- B. Clients are configured to use a mismatched EAP method from the one In the CPPM service.
- C. The RADIUS shared secret does not match between the switch and CPPM.
- D. CPPM does not have a network device defined for the switch\\'s IP address.
- E. Clients are not configured to trust the root CA certificate for CPPM\\'s RADIUS/EAP certificate.

Correct Answer: AE

QUESTION 2

What is one practice that can help you to maintain a digital chain or custody In your network?

- A. Enable packet capturing on Instant AP or Moodily Controller (MC) datepath on an ongoing basis
- B. Enable packet capturing on Instant AP or Mobility Controller (MC) control path on an ongoing basis.
- C. Ensure that all network infrastructure devices receive a valid clock using authenticated NTP
- D. Ensure that all network Infrastructure devices use RADIUS rather than TACACS+ to authenticate managers

Correct Answer: A

QUESTION 3

You have detected a Rogue AP using the Security Dashboard.

Which two actions should you take in responding to this event? (Select two)

- A. There is no need to locale the AP If you manually contain It.
- B. This is a serious security event, so you should always contain the AP immediately regardless of your company\\'s specific policies.
- C. You should receive permission before containing an AP. as this action could have legal Implications.
- D. For forensic purposes, you should copy out logs with relevant information, such as the time mat the AP was detected and the AP\\'s MAC address.
- E. There is no need to locate the AP If the Aruba solution is properly configured to automatically contain it.

Correct Answer: BD

QUESTION 4

A company with 382 employees wants to deploy an open WLAN for guests. The company wants the experience to be as follows:

- * Guests select the WLAN and connect without having to enter a password.
- * Guests are redirected to a welcome web page and log in.

The company also wants to provide encryption for the network for devices that are capable, you implement for the WLAN.

Which security options should?

- A. WPA3-Personal and MAC-Auth
- B. Captive portal and WPA3-Personal
- C. Captive portal and Opportunistic Wireless Encryption (OWE) in transition mode
- D. Opportunistic Wireless Encryption (OWE) and WPA3-Personal

Correct Answer: C

QUESTION 5

You are deploying an Aruba Mobility Controller (MC). What is a best practice for setting up secure management access to the ArubaOS Web UI?

- A. Avoid using external manager authentication for the Web UI.
- B. Change the default 4343 port for the web UI to TCP 443.
- C. Install a CA-signed certificate to use for the Web UI server certificate.
- D. Make sure to enable HTTPS for the Web UI and select the self-signed certificate installed in the factory.

Correct Answer: C

QUESTION 6

A company is deploying ArubaOS-CX switches to support 135 employees, which will tunnel client traffic to an Aruba Mobility Controller (MC) for the MC to apply firewall policies and deep packet inspection (DPI). This MC will be dedicated to receiving traffic from the ArubaOS-CX switches.

What are the licensing requirements for the MC?

- A. one AP license per-switch

- B. one PEF license per-switch
- C. one PEF license per-switch. and one WCC license per-switch
- D. one AP license per-switch. and one PEF license per-switch

Correct Answer: D

QUESTION 7

Refer to the exhibit.

Roles Policies Applications Aliases

Global Rules			
IP VERSION	SOURCE	DESTINATION	SERVICE/APPLICATION
+			
Rules of this Role only			
IP VERSION	SOURCE	DESTINATION	SERVICE/APPLICATION
IPv4	any	any	svc-dhcp
IPv4	user	10.1.5.5	svc-dns
IPv4	any	10.1.0.0 255.255.0.0	any
IPv4	user	10.1.10.0 255.255.255.0	svc-https

A diem is connected to an ArubaOS Mobility Controller. The exhibit shows all Tour firewall rules that apply to this diem

What correctly describes how the controller treats HTTPS packets to these two IP addresses, both of which are on the other side of the firewall?

- 10.1 10.10
- 203.0.13.5
- A. It drops both of the packets
- B. It permits the packet to 10.1.10.10 and drops the packet to 203 0.13.5
- C. it permits both of the packets
- D. It drops the packet to 10.1.10.10 and permits the packet to 203.0.13.5.

Correct Answer: C

QUESTION 8

What is a reason to set up a packet capture on an Aruba Mobility Controller (MC)?

- A. The company wants to use ClearPass Policy Manager (CPPM) to profile devices and needs to receive HTTP User-Agent strings from the MC.
- B. The security team believes that a wireless endpoint connected to the MC is launching an attack and wants to examine the traffic more closely.
- C. You want the MC to analyze wireless clients' traffic at a lower level, so that the ArubaOS firewall can control the traffic based on application.
- D. You want the MC to analyze wireless clients' traffic at a lower level, so that the ArubaOS firewall can control Web traffic based on the destination URL.

Correct Answer: C

QUESTION 9

You are troubleshooting an authentication issue for Aruba switches that enforce 802.1X on a cluster of Aruba ClearPass Policy Manager (CPPMs). You know that CPPM is receiving and processing the authentication requests because the Aruba switches are showing Access-Rejects in their statistics. However, you cannot find the record for the Access-Rejects in CPPM Access Tracker.

What is something you can do to look for the records?

- A. Make sure that CPPM cluster settings are configured to show Access-Rejects.
- B. Verify that you are logged in to the CPPM UI with read-write, not read-only, access.
- C. Click Edit in Access viewer and make sure that the correct servers are selected.
- D. Go to the CPPM Event Viewer, because this is where RADIUS Access Rejects are stored.

Correct Answer: A

QUESTION 10

What is one of the roles of the network access server (NAS) in the AAA framework?

- A. It authenticates legitimate users and uses policies to determine which resources each user is allowed to access.
- B. It negotiates with each user's device to determine which EAP method is used for authentication.
- C. It enforces access to network services and sends accounting information to the AAA server.
- D. It determines which resources authenticated users are allowed to access and monitors each user's session.

Correct Answer: A

[Latest HPE6-A78 Dumps](#)

[HPE6-A78 VCE Dumps](#)

[HPE6-A78 Braindumps](#)