

JAVASCRIPT-DEVELOPER-I^{Q&As}

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/javascript-developer-i.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

A developer writes the code below to return a message to a user attempting to register a new username. If the username is available, a variable named msg is declared and assigned a value on line 03.

```
01 function getAvailabilityMessage(item) {  
02     if (getAvailability(item)) {  
03         var msg = "Username available";  
04     }  
05     return msg;  
06 }
```

What is the value of msg when getAvailableabilityMessage ("newUserName") is executed and get Availability ("newUserName") returns true?

- A. "msg is not defined"
- B. "newUserName"
- C. "User-name available"
- D. undefined

Correct Answer: C

QUESTION 2

Refer to the following code:

Let obj = {

Foo: 1,

Bar: 2

}

Let output = [],

for (let something in obj {

output.push(something);

}

console.log(output);

What is the output line 11?

- A. [1,2]
- B. ["bar","foo"]
- C. ["foo","bar"]
- D. ["foo:1","bar:2"]

Correct Answer: C

QUESTION 3

Refer to the following code:

```
01 function Tiger(){
02   this.Type = `Cat`;
03   this.size = `large`;
04 }
05
06 let tony = new Tiger();
07 tony.roar = () =>{
08   console.log(`They're great1`);
09 };
10
11 function Lion(){
12   this.type = `Cat`;
13   this.size = `large`;
14 }
15
16 let leo = new Lion();
17 //Insert code here
18 leo.roar();
```

Which two statements could be inserted at line 17 to enable the function call on line 18?

Choose 2 answers.

- A. `Leo.roar = () => { console.log(`They're pretty good:`); };`
- B. `Object.assign(leo,Tiger);`
- C. `Object.assign(leo,tony);`

D. Leo.prototype.roar = () => { console.log(`They\\'re pretty good:\\`); };

Correct Answer: AC

QUESTION 4

Which function should a developer use to repeatedly execute code at a fixed interval ?

- A. setInterval
- B. setTimeout
- C. setPeriod
- D. setIntertia

Correct Answer: A

QUESTION 5

Refer to the code below:

```
Function changeValue(obj) {  
  Obj.value =obj.value/2;  
}
```

```
Const objA = {value: 10};
```

```
Const objB = objA;
```

```
changeValue(objB);
```

```
Const result = objA.value;
```

What is the value of result after the code executes?

- A. 10
- B. Nan
- C. 5
- D. Undefined

Correct Answer: C

QUESTION 6

CORRECT TEXT Refer the following code

```
let array =[1,2,3,4,4,5,4,4];
for(let i=0;i<array.length;i++)
{
    if(array[i]===4){
        array.splice(i,1);
        i--;
    }
}
alert(array);
```

what is the value of array after code executes?

- A. 1,2,3,5
- B. Placeholder
- C. Placeholder
- D. Placeholder

Correct Answer: A

QUESTION 7

Refer to the code below:

Let inArray =[[1, 2] , [3, 4, 5]];

Which two statements result in the array [1, 2, 3, 4, 5] ?

Choose 2 answers

- A. []. Concat.apply ([], inArray);
- B. []. Concat (... inArray);
- C. []. concat.apply(inArray, []);

D. []. concat ([....inArray]);

Correct Answer: AB

QUESTION 8

Refer to the code below:

```
Let car1 = new Promise((_, reject) =>
```

```
setTimeout(reject, 2000, "car 1 crashed in" =>
```

```
Let car2 =new Promise(resolve => setTimeout(resolve, 1500, "car 2 completed")
```

```
Let car3 =new Promise(resolve =>setTimeout(resolve, 3000, "car 3 completed")
```

```
Promise.race(( car1, car2, car3))
```

```
.then (value => (
```

```
Let result = `${value} the race.\\`;)}
```

```
.catch(arr => {
```

```
console.log("Race is cancelled.", err);
```

```
});
```

What is the value of result when Promise.race executes?

- A. Car3 completes the race
- B. Car 2 completed the race.
- C. Car 1 crashed in the race.
- D. Race is cancelled.

Correct Answer: B

QUESTION 9

Cloud Kicks has a class to represent items for sale in an online store, as shown below:

```
Class Item{
```

```
constructor (name, price){
```

```
this.name = name;
```

```
this.price = price;
```

```
}
```

```
formattedPrice(){  
  
return `s\\` + String(this.price);}}
```

A new business requirement comes in that requests a ClothingItem class that should have all of the properties and methods of the Item class but will also have properties that are specific to clothes.

Which line of code properly declares the clothingItem class such that it inherits from Item?

- A. Class ClothingItem implements Item{
- B. Class ClothingItem {
- C. Class ClothingItem super Item {
- D. Class ClothingItem extends Item {

Correct Answer: D

QUESTION 10

Refer to the code:

```
function Animal(size, type){  
  this.size = size || "small";  
  this.type = type || "Animal";  
  this.canTalk = false;}  
  
let Pet = function (size, type, name, owner){  
  Animal.call(this, size, type);  
  this.name = name;  
  this.owner = owner;}  
  
Pet.prototype = Object.create(Animal.prototype);  
let pet1 = new Pet();  
console.log(pet1);
```

Given the code above, which three properties are set pet1? Choose 3 answers:

- A. Name
- B. canTalk
- C. Type


D. Owner

E. Size

Correct Answer: BCE

QUESTION 11

Refer to the code below:



```
01 let greeting = 'Goodbye';
02 let salutation = 'Hello, hello, hello';
03 try {
04   greeting = 'Hello';
05   decodeURI('%44'); // throws error
06   salutation = 'Goodbye';
07 } catch(err) {
08   salutation = 'I say hello';
09 } finally {
10   salutation = 'Hello, Hello';
11 }
```

Line 05 causes an error.

What are the values of greeting and salutation once code completes?

A. Greeting is Hello and salutation is Hello, Hello.

B. Greeting is Goodbye and salutation is Hello, Hello.

C. Greeting is Goodbye and salutation is I say Hello.

D. Greeting is Hello and salutation is I say hello.

Correct Answer: A

QUESTION 12

A developer has a web server running with Node.js. The command to start the web server is `node server.js`. The web server started having latency issues. Instead of a one second turnaround for web requests, the developer now sees a five second turnaround.

Which command can the web developer run to see what the module is doing during the latency period?

A. `NODE_DEBUG=true node server.js`

B. `DEBUG=http, https node server.js`

C. `NODE_DEBUG=http,https node server.js`

D. `DEBUG=true node server.js`

Correct Answer: D

QUESTION 13

Given the following code:

```
document.body.addEventListener(` click \\`, (event) => {  
  
if (/* CODE REPLACEMENT HERE */) {  
  
console.log(` button clicked!\\`);  
  
}  
  
});
```

Which replacement for the conditional statement on line 02 allows a developer to correctly determine that a button on page is clicked?

- A. Event.clicked
- B. e.nodeType == this
- C. event.target.nodeName == `BUTTON\\`
- D. button.addEventListener(` click\\`)

Correct Answer: C

QUESTION 14

Which statement phrases successfully?

- A. JSON.parse (` foo \\`);
- B. JSON.parse (" foo ");
- C. JSON.parse(" ` foo \\` ");
- D. JSON.parse(" foo " \\`);

Correct Answer: D

QUESTION 15

Refer to code below:

```
Function muFunction(reassign){  
  
Let x = 1;  
  
var y = 1;
```

```
if( reassign ) {
```

```
  Let x= 2;
```

```
  Var y = 2;
```

```
  console.log(x);
```

```
  console.log(y);}

```

```
  console.log(x);
```

```
  console.log(y);}

```

What is displayed when my Function(true) is called?

A. 2 2 1 1

B. 2 2 undefined undefined

C. 2 2 1 2

D. 2 2 2 2

Correct Answer: C

[Latest JAVASCRIPT-DEVELOPER-I Dumps](#)

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I PDF Dumps](#)

[I Braindumps](#)