

JN0-201^{Q&As}

Juniper networks Certified internet associate.m(jncia-m)

Pass Juniper JN0-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-201.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A firewall filter is applied as an input filter on a transit interface. What three types of traffic will this affect? (Chose three.)

- A. outbound traffic transiting the router
- B. traffic destined to the Routing Engine
- C. inbound traffic transiting the router
- D. traffic destined to the interface address on which the filter is applied

Correct Answer: BCD

QUESTION 2

If there is a BGP next hop with equal preference in inet.0 and inet.3, which version of the route will BGP use?

- A. It will randomly choose between inet.0 and inet.3.
- B. the route in inet.3
- C. the route in inet.0
- D. the route with the lower metric

Correct Answer: B

QUESTION 3

By default, which command can be used to display information about packets that have been logged with the syslog firewall filter action?

- A. show log
- B. show firewall
- C. show log messages
- D. show firewall log

Correct Answer: C

QUESTION 4

Which two steps are required for RIP to redistribute IS-IS routes? (Choose two.)

- A. create a redistribution policy accepting the IS-IS routes

- B. create a redistribution policy accepting the RIP routes
- C. apply the redistribution policy to RIP as export
- D. apply the redistribution policy to RIP as import
- E. apply the redistribution policy to IS-IS as import
- F. apply the redistribution policy to IS-IS as export

Correct Answer: AC

QUESTION 5

A network administrator would like to verify the active alarms on interface so-0/0/0.0. Which command displays this information?

- A. show interfaces extensive
- B. show alarms
- C. show alarms extensive
- D. show interfaces terse

Correct Answer: A

QUESTION 6

Which CLI command displays routes advertised to an EBGp peer?

- A. showbgp advertised routes x.x.x.x
- B. show route advertising-protocolbgp x.x.x.x
- C. show route receive-protocolbgp x.x.x.x
- D. showbgp received routes x.x.x.x

Correct Answer: B

QUESTION 7

What are three characteristics of RIP? (Choose three.)

- A. uses Bellman-Ford algorithm
- B. supports maximum allowable hop count of 15
- C. uses hop count as the metric

- D. sends updates only when a route metric changes
- E. floods updates to all RIP routers in the network

Correct Answer: ABC

QUESTION 8

If all OSPF routers on a broadcast network have the same OSPF priority, what parameter is used to determine the new BDR at the time of a DR failure?

- A. router ID
- B. IP address of interface on broadcast network
- C. area ID
- D. loopback address

Correct Answer: A

QUESTION 9

Which internal boot device contains a backup copy of the JUNOS software?

- A. floppy drive
- B. PCMCIA flash
- C. internal flash drive
- D. hard drive

Correct Answer: D

QUESTION 10

What are two purposes of the AS_PATH attribute? (Choose two.)

- A. defining the application of other BGP attributes
- B. loop avoidance
- C. route selection
- D. determining equal cost paths for reachability

Correct Answer: BC

QUESTION 11

Which message is used to transport routing information between BGP peers?

- A. Open
- B. Active
- C. Keepalive
- D. Notification
- E. Update

Correct Answer: E

QUESTION 12

What version of IGMP is used by default on Juniper Networks routers?

- A. version 4 only
- B. version 2 only
- C. version 3 only
- D. version 1 only

Correct Answer: B

QUESTION 13

Which statement is true about static routes?

- A. Static routes are never removed from the forwarding table.
- B. By default, static routes are placed in the inet.1 routing table.
- C. Static routes are removed from the forwarding table when their next hops are no longer reachable.
- D. By default, a static route to a single destination prefix is assigned a preference value of 20.

Correct Answer: C

QUESTION 14

How do you send static routes to a RIP neighbor?

- A. Configure the static route with a next hop of the RIP neighbor.
- B. Configure redistribute static under [edit protocols rip] .

- C. Apply an export policy within RIP that matches on the routes, and accepts it.
- D. By default, RIP automatically sends static routes.
- E. This is not possible, only RIP routes can be sent to a RIP neighbor.

Correct Answer: C

QUESTION 15

Which two statements are true concerning the JUNOS software? (Choose two.)

- A. Processes run in a protected memory environment.
- B. Processes are fully independent from each other.
- C. Processes are tightly integrated with each other.
- D. Processes may fail and cause a failure of the entire system.

Correct Answer: AB

[Latest JN0-201 Dumps](#)

[JN0-201 VCE Dumps](#)

[JN0-201 Exam Questions](#)