

## JN0-533<sup>Q&As</sup>

FWV, Specialist (JNCIS-FWV)

### Pass Juniper JN0-533 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-533.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two configuration elements are synchronized between the members of an NSRP cluster? (Choose two.)

- A. interface IP addresses
- B. hostname
- C. track IP configuration
- D. static routes

Correct Answer: AD

---

**QUESTION 2**

What are two routing tables contained in a virtual router? (Choose two.)

- A. destination-based
- B. NHTB
- C. source-based
- D. zone-based

Correct Answer: AC

---

**QUESTION 3**

What is a virtual system?

- A. a mechanism to logically partition a single ScreenOS device into multiple logical devices
- B. a collection of subnets and interfaces sharing identical security requirements
- C. a method of providing a secure connection across a network
- D. a tool to protect against DoS attacks

Correct Answer: A

---

**QUESTION 4**

You have configured a single-port VIP to forward HTTP traffic from the untrust interface on your ScreenOS device to an internal Web server. You have configured a policy to allow this traffic. Traffic from the untrust interface that matches this policy is unable to connect to the Web server.

What is a solution to this problem?

- A. You must reboot the ScreenOS device for the VIP to become active.
- B. You must ensure the ScreenOS device has a route to the Web server.
- C. You must ensure the Web server is directly connected to the ScreenOS device.
- D. You must save the ScreenOS device configuration for the VIP to become active.

Correct Answer: B

---

### QUESTION 5

Referring to the exhibit, which three statements are true? (Choose three.)

```
NS5200(M)-> get nsrp nsrp version: 2.0 cluster info: cluster iD. 1, namE. 5200 local unit iD. 8000208 active units
discoveredD. index: 0, unit iD. 8014208, ctrl maC. 0010db000085, data maC. 0010db000086 index: 1, unit iD. 8337344,
ctrl maC. 0010db0000c5, data maC. 0010db0000c6 total number of units: 2 VSD group info: init hold timE. 5 heartbeat
lost thresholdD. 3 heartbeat interval: 200(ms) master always exist: enabled group priority preempt holddown inelig master
PB other members 0 50 yes 45 no myself 8330044 total number of vsd groups: 1 Total iteration=
,time=878546093,max=4900,min=170,average=18 RTO mirror info: run time object synC. enabled ping session synC.
enabled coldstart sync done nsrp data packet forwarding is enabled nsrp link info: control channel: ha1 (ifnum: 5) maC.
0010db000085 statE. up data channel: ha2 (ifnum: 6) maC. 0010db000086 statE. up ha secondary path link not
available NSRP encryption: disabled NSRP authentication: disabled device based nsrp monitoring threshoID. 255,
weighted sum: 0, not failed device based nsrp monitor interfacE. ethernet2/1(weight 255, UP) ethernet2/3(weight 255,
UP) ethernet2/4(weight 255, UP) ethernet2/5(weight 255, UP) ethernet2/2 (weight 255, UP) device based nsrp monitor
zonE. device based nsrp track ip: (weight: 255, disabled) number of gratuitous arps: 4 (default) config synC. enabled
track ip: disabled
```

- A. This cluster is configured as an active/active cluster.
- B. RTO sync is enabled.
- C. No secondary path is configured.
- D. master-always-exists is enabled.
- E. Only one interface is used for both the control and data links.

Correct Answer: BCD

---

### QUESTION 6

You are creating a DIP pool of 30 addresses. You would like to see how addresses are being allocated to different traffic streams. Which command will you use to view this information?

- A. snoop
- B. get dip all
- C. get session

D. get address xlate

Correct Answer: C

---

## QUESTION 7

On a ScreenOS device, which word appears at the beginning of configuration commands?

A. set

B. configure

C. enable

D. commit

Correct Answer: A

---

## QUESTION 8

You have configured a secondary path for the NSRP cluster. Which type of traffic is sent over the secondary path?

A. NSRP heartbeats

B. RTO message sync

C. NSRP data packet forwarding

D. configuration sync messages

Correct Answer: A

---

## QUESTION 9

A routing table contains an IBGP route, a RIP route, an OSPF external Type 2 route, and an EBG route for 192.168.0.0/16. When the router receives traffic destined for, which route will the router use by default?

A. the EBG route

B. the IBGP route

C. the OSPF route

D. the RIP route

Correct Answer: A

---

## QUESTION 10

What is a zone?

- A. a set of rules that controls traffic from a specified source to a specified destination using a specified service
- B. a collection of subnets and interfaces sharing identical security requirements
- C. a method of providing a secure connection across a network
- D. a tool to protect against DoS attacks

Correct Answer: B

---

## QUESTION 11

Which two statements are correct about internal antivirus scanning? (Choose two.)

- A. It includes a predefined file extension list for each protocol.
- B. It allows you to load-balance ICAP scan servers.
- C. It requires you to install a ScreenOS software license.
- D. It provides inbound spyware and phishing protection.

Correct Answer: CD

---

## QUESTION 12

The ScreenOS software performs virus scanning for which three protocols? (Choose three.)

- A. FTP
- B. HTTP
- C. HTTPS
- D. NetBIOS
- E. SMTP

Correct Answer: ABE

---

## QUESTION 13

You want to set up a last resort route and prevent route lookups in either the source-based routing table or the destination-based routing table. What should you do?

- A. Disable SIBR and create a default route in the trust-vr table using the null interface as the outgoing interface with a higher metric than other routes.
- B. Disable SIBR and create a default route in the trust-vr table using the null interface as the outgoing interface with a

lower metric than other routes.

C. Enable SIBR and create a default route in the SIBR table using the null interface as the outgoing interface with a higher metric than other routes.

D. Enable SIBR and create a default route in the SIBR table using the null interface as the outgoing interface with a lower metric than other routes.

Correct Answer: C

---

## QUESTION 14

How is a route-based VPN different from a policy-based VPN?

A. A route-based VPN is bound to a tunnel interface.

B. A route-based VPN requires static route entries for the remote peer.

C. A route-based VPN is bound to a loopback interface.

D. A route-based VPN requires manual keys for encryption and authentication.

Correct Answer: A

---

## QUESTION 15

You have two interfaces in ZoneA and traffic is passing without any policy configured. You want to control the traffic between the two interfaces. Which two actions will allow this to happen? (Choose two.)

A. Configure interzone blocking on ZoneA and create a policy in that zone to control the traffic.

B. Configure intrazone blocking on ZoneA and create a policy in that zone to control the traffic.

C. Move one of the interfaces to a different zone and create an interzone policy to control the traffic.

D. Move one of the interfaces to a different zone and create an intrazone policy to control the traffic.

Correct Answer: BC

[JN0-533 VCE Dumps](#)

[JN0-533 Study Guide](#)

[JN0-533 Braindumps](#)