

M70-101^{Q&As}

Magento Certified Developer Exam

Pass Magento M70-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/m70-101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Set Product as New from Date	<input type="text"/>	[WEBSITE] <input checked="" type="checkbox"/> Use Default Value
Set Product as New to Date	<input type="text"/>	[WEBSITE] <input checked="" type="checkbox"/> Use Default Value
Status *	<input type="text" value="Enabled"/>	[WEBSITE] <input checked="" type="checkbox"/> Use Default Value
URL key	<input type="text" value="test"/> <input checked="" type="checkbox"/> Create Permanent Redirect for old URL	[STORE VIEW] <input checked="" type="checkbox"/> Use Default Value
Visibility *	<input type="text" value="Catalog, Search"/>	[STORE VIEW] <input checked="" type="checkbox"/> Use Default Value

The checkbox "Use default value" is checked and the corresponding input field is disabled, as shown in the graphic above. How does Magento represent this state in the corresponding EAV value tables?

- A. no row with a value for this store view and a row with value NULL for default
- B. no row with a value for this store view and a row with any value for default
- C. a row with value NULL for this store view and a row with value NULL for default
- D. a row with value NULL for this store view and a row with any value for default
- E. no row with a value for this store view and no row with a value for default

Correct Answer: B

QUESTION 2

Given an EAV-based data model whose data is stored in the table `foo_entity`, in which table would you find the values for an attribute of the `varchar` type?

- A. `foo_entity_attribute_storage`
- B. `foo_entity_varchar`
- C. `entity_attribute_varchar`
- D. `foo_entity`

Correct Answer: B

QUESTION 3

Assume that PayPal has presented a new API for online purchasing that you are going to use. Which class should you extend for doing that?

- A. Mage_Sales_Model_Quote_Payment
- B. Mage_Payment_Model_Info
- C. Mage_Payment_Model_Method_Abstract
- D. Mage_Sales_Model_Order_Payment

Correct Answer: C

QUESTION 4

Which of the following API protocols does native Magento support?

- A. REST
- B. XmlRpc
- C. POST
- D. Open Social
- E. XQuery

Correct Answer: B

QUESTION 5

What is the name of the shopping cart item created from a recurring product?

- A. Nominal
- B. Non-nominal
- C. Virtual
- D. Recurrent

Correct Answer: A

QUESTION 6

For which two of the following composite products could the options be shipped separately on the frontend using "Checkout with multiple addresses"? (Choose two)

- A. configurable physical product
- B. bundle product consisting of physical products

- C. grouped product consisting of physical products
- D. bundle product consisting of virtual products
- E. grouped product consisting of virtual products

Correct Answer: BC

QUESTION 7

The final price for the product on the product view page is_____.

- A. taken from the catalog_product_index_price table
- B. taken from the catalog_product_index_price_idx table
- C. taken from the catalog_product_index_price_final_idx table
- D. calculated on-the-fly on php-level
- E. pre-calculated in the products price attribute

Correct Answer: D

QUESTION 8

Which file path correctly identifies the location of a modules install/upgrade scripts inside the primary module directory?

- A. sql//
- B. var/scripts/
- C. scripts/
- D. /

Correct Answer: A

QUESTION 9

You want to define a list of quote object attributes that are copied to the order object when an order is placed.

Which one of the following statements is true?

- A. You can define this list by modifying the list of elements found in the configuration with the xpath global/fieldsets/sales_convert_quote.

- B. You can define this list by modifying the list of elements found in the configuration with the xpath global/sales/quote/item/product_attributes.
- C. You can define this list by checking the checkbox on the attribute edit page in the admin.
- D. You cannot modify the list of fields copied from quote to order because the process is hardcoded.

Correct Answer: A

QUESTION 10

When setData (\'some\', \'value\') is called on an EAV entity and the entity is saved to the database, _____.

- A. the \'value\' of the attribute named \'some\' is saved in the eav_values table
- B. the \'value\' of the attribute named \' some\' is saved in one of the entity\'s tables depending on its datatype (for example, entityname_varchar)
- C. the data will be stored in the EAV registry making \' some\' \'value\' available to the entity
- D. the \'value\' of the attribute named \'some\' is saved in the eav_attribute_values table

Correct Answer: B

QUESTION 11

Which of the following is an advantage to using an EAV-based model instead of a model storing data in a single table?

- A. An EAV-based model can be used to store a broader range of data types.
- B. A single EAV model can represent objects with dynamic sets of attributes.
- C. Data for an EAV data model will load from the database much faster.
- D. Use of an EAV architecture automatically de-duplicates data stored in the database.

Correct Answer: B

QUESTION 12

You want to display a grid for a custom collection. After extending Mage_Adminhtml_Block_widget_Grid, which two of these methods should you implement? (Choose two)

- A. _getCollection ()

B. `_prepareCollection ()`

C. `_prepareColumns ()`

D. `toHtml ()`

E. `render ()`

Correct Answer: BC

QUESTION 13

Which of the following block methods is the best to override when there is a need to customize how the block's html is rendered?

A. `_toHtml ()`

B. `toHtml ()`

C. `setLayout ()`

D. `renderLayout ()`

Correct Answer: A

QUESTION 14

You are implementing an observer Method for the event controller_action_predispatch, and \$action contains the action controller passed via \$observer->getControllerAction 0. You want to display the customer/account/login page instead of the currently requested one.

Which three of the following methods successfully accomplish this? (Choose THREE)

A. `$action->getResponse ()`
`->setRedirect (Mage::getUrl ('customer/account/login'));`

B. `$action->setForward ('login', 'account', 'customer');`

C. `$action->setRedirect ('customer/account/login');`

D. `$action->getResponse ()->setForward ('login', 'account', 'customer');`

E. `$action->setRedirectWithCookieCheck ('customer/account/login');`

A. B. C. D. E.

```
F. $action->getRequest()  
    ->setDispatched(false)  
    ->setFullActionName('customer_account_login');
```

```
G. $action->getRequest()  
    ->setDispatched(false)  
    ->setActionName('login')  
    ->setControllerName('account')  
    ->setModuleName('customer');
```

F. G.

Correct Answer: AEG

QUESTION 15

Which one of the following classes does NOT exist in Magento?

- A. Mage_Adminhtml_Block_Widget_Form_Element_Abstract
- B. Mage_Adminhtml_Block_Widget_Form
- C. Mage_Adminhtml_Block_Widget_Form_Container
- D. Mage_Adminhtml_Block_Widget_Form_Element
- E. Varien_Data_Form_Element_Abstract

Correct Answer: A

[M70-101 PDF Dumps](#)

[M70-101 Practice Test](#)

[M70-101 Study Guide](#)