M70-201^{Q&As}

Magento Certified Developer Plus Exam

Pass Magento M70-201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/m70-201.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Magento Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



QUESTION 1

To register a new API resource, what should you do?

- A. Register your new resource in config.xml in the node global/api/ [module name]/resources.
- B. Create etc/api.xml and register your resource in the api/resources node.
- C. Go to the System/Web services/API Resources management page, and add a new resource from there.
- D. Create an etc/resources.xml config file and register your resource in the api/resources node.

Correct Answer: B

QUESTION 2

Which of the following is a true statement about how Magento loads data for an EAV-based data model?

- A. A data helper is used in order to properly load an objects attributes from the database
- B. EAV-based data models use a different abstract resource class than other data models
- C. The attribute values are loaded into an attribute collection object
- D. You must always specify each of the attributes to be loaded on the model

Correct Answer: B

QUESTION 3

What must be done to allow a third-party system to access the Magento API?

- A. Run a login call with username/password, and use the returned session_id for every request.
- B. Get a token previously generated in Magento admin.
- C. Run an authenticate call with username/password; the call will set up a session automatically.
- D. Register the remote IP address in the api/allowed_ips/[system name] node.
- E. Use a secure certificate, with public/private keys, and get a private key installed inside Magento.

Correct Answer: A

QUESTION 4

Which table is used for calculating a new increment ID for an order?

A. sales_flat_order_increment

- B. eav_entity_store
- C. core_increment
- D. core_config_data
- Correct Answer: B

QUESTION 5

What can you do in order to render a picture in a specific cell in a grid?

- A. Create a custom cell renderer by extending Mage_Adminhtml_Block_Widget_Grid_Cell_Renderer_Abstract
- B. Create a custom grid renderer by extending Mage_Adminhtml_Block_Widget_Grid_Renderer_Abstract
- C. Create a custom column renderer by extending Mage_Adminhtml_Block_Widget_Grid_Column_Renderer_Abstract
- D. Create a custom row renderer by extending Mage_Adminhtml_Block_Widget_Grid_Row_Renderer_Abstract

Correct Answer: C

QUESTION 6

Which kind of class is responsible for calculating the actual amount of reward points in every case?

- A. Reward model (Enterprise_Reward_Model_Reward)
- B. Action model (derivatives from Entet:prise_Reward_Model_Action)
- C. Event model (derivatives from Enterprise_Reward_Model_Event)
- D. Calculation model (Enterprise_Reward_Model_Calculator)

Correct Answer: B

QUESTION 7

What is the purpose of Catalog Target rules?

- A. To extend Catalog Price Rules to be used for related products.
- B. To provide a mechanism for rendering a list of additional products on the product page.

- C. To provide a mechanism for rendering a list of custom product options.
- D. To provide a mechanism for easier selection options for configurable products.

Correct Answer: B

QUESTION 8

Which of the following layout XML directives will set a value on a block?

<value>value

C. <layout>

<catalog_product_view>
 <block type="some/block_class">
 <action method="setSomeValue">value

D. <layout>

<catalog_product_view>
 <block type="some/block_class">
 <action method="setSomeValue">
 <a>value

E. <layout> <catalog_product_view> <block type="some/block_class"> <setSomeValue>value

A. B. C. D. E.

Correct Answer: D

QUESTION 9

To update your order information from a third-party system using an XmIRpc call, you should.

A. Use the native sales_order.update API call with the url /api/xmlrpc/

B. Create a custom API resource which allows you to receive XmIRpc requests

- C. Create a custom API adapter to receive XmIRpc requests
- D. Create a custom API handler to process XmIRpc requests

Correct Answer: A

QUESTION 10

You are creating a custom CMS module named Achme_Cms.

Which one of the following is the correct XML required to override a controller from the Mage_Cms module in your Achme_Cms module?



```
A. <frontend>
      <routers>
          <cms>
              <args>
                  <modules>
                      <achme cms before="Mage Cms">Achme Cms</achme cms>
                  </modules>
              </args>
          </cms>
       </routers>
   </frontend>
B. <frontend>
       <routers>
          <achme cms>
              <args>
                  <modules>
                      <cms before="Mage Cms">Achme Cms</cms>
                  </modules>
              </args>
          </achme cms>
       </routers>
   </frontend>
C. <frontend>
      <routers>
           <cms>
              <arqs>
                  <rewrite>
                      <mage cms>Achme Cms</mage cms>
                  </rewrite>
              </args>
           </cms>
       </routers>
   </frontend>
D. <global>
       <controllers>
           <achme cms>
              <rewrite>
                  <mage cms>Achme Cms</mage cms>
              </rewrite>
           </achme cms>
       </controllers>
   </global>
```

A. B. C. D.

Correct Answer: A

QUESTION 11

Which one of the following EAV attribute types may be used for layered navigation in native Magento?

A. Varchar

B. Enum

C. Option

D. Union

Correct Answer: C

QUESTION 12

How can you make a payment method store entire credit card numbers?

A. For security reasons, there are no native ways for doing that.

B. Pass the credit card number to the payment method: it will be stored automatically.

C. Change the protected property of payment method \$_canSaveCc to true.

D. Configure your method to save the card number by setting 1 to the following xpath: default/payment/_NAME_/save_cc

Correct Answer: C

QUESTION 13

Which three of the following object types will have a parent class found in the Mage_Eav module for the purposes of EAV data storage in Magento? (Choose three)

- A. Data model
- B. Data helper
- C. Resource model
- D. Resource collection
- E. Setup class

Correct Answer: CDE

QUESTION 14

A custom frontend controller will extend which one of the following classes?

- A. Mage_Core_Controller_Front_Action
- B. Mage_Adminhtml_Controller_Action
- C. Mage_Core_Controller_Varien_Front
- D. Mage_Core_Controller_Abstract
- Correct Answer: A

QUESTION 15

- Which one of the following classes does NOT exist in Magento?
- A. Mage_Adminhtml_Block_widget_Form_Element_Abstract
- B. Mage_Adminhtml_Block_Widget_Form
- C. Mage_Adminhtml_Block_Widget_Form_Container
- D. Mage_Adminhtml_Block_Widget_Form_Element
- E. Varien_Data_Form_Element_Abstract

Correct Answer: B

Latest M70-201 Dumps

M70-201 Practice Test

M70-201 Braindumps