

NCIDQ^{Q&As}

National Council for Interior Design Qualification

Pass Test Prep NCIDQ Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ncidq.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

A client who has a physical disability wants to install an elevator in a residence. What is MOST important to consider?

- A. ADA guidelines and impact on the building envelope
- B. Elevator manufacturer electrical requirements
- C. Space planning and structural issues
- D. Sufficient floor-to-floor heights

Correct Answer: C

QUESTION 2

A building can receive LEED credit if the carpet used meets the requirements of the _____.

- A. CRI IAQ program
- B. Green guard registry
- C. Green Seal product standards
- D. South Coast Air Quality Management District

Correct Answer: A

QUESTION 3

You have designed a small auditorium for an office building with access from the seating area to the stage to permit wheelchair access to the stage without leaving the auditorium. Your client wishes to remove the wheelchair access.

How should you proceed?

- A. Write a letter advising the client that ADA guidelines are being violated against your advice, and place a copy of the letter in the job file.
- B. Inform the building department that you are not being permitted to design in compliance with ADA guidelines.
- C. Inform the client that you will be terminating work on this portion of the project until the issue can be resolved by arbitration.
- D. Accept the client's position and redesign the auditorium as directed

Correct Answer: A

QUESTION 4

Why are addenda issued?

- A. To provide additional information not included in the bid package
- B. To inform potential bidders about acceptable alternates
- C. To obtain additional information
- D. To request a change during construction

Correct Answer: A

QUESTION 5

Which of the following has the GREATEST impact on the effectiveness of an HVAC system?

- A. Rooftop chiller size
- B. Wall insulation type
- C. Window treatments
- D. Occupancy load

Correct Answer: D

QUESTION 6

The most accurate representation of materials can best be shown with _____.

- A. Computer renderings
- B. Full-size mock ups
- C. Presentation models
- D. Study models

Correct Answer: B

QUESTION 7

Which of the following is a FALSE statement about addenda?

- A. An addendum is sent only to the contractor requesting the clarification
- B. Addenda are only issued before the construction contract is signed
- C. Addenda are used to modify or interpret the contract documents
- D. An addendum must be issued four or five days before bid opening

Correct Answer: A

QUESTION 8

The absolute minimum fresh air ventilation rate recommended by ASHRAE Standard 62 is _____.

- A. 5 cfm/person (3 L/s/person)
- B. 10 cfm/person (5 L/s/person)
- C. 15 cfm/person (8 L/s/person)
- D. 20 cfm/person (10 L/s/person)

Correct Answer: C

QUESTION 9

A quick-sketch perspective drawing could most easily be made by _____.

- A. Employing a computer model
- B. Plotting the perspective
- C. Tracing over a model photograph
- D. Using a perspective grid

Correct Answer: D

QUESTION 10

Bid openings are typically attended by the contractors and the _____.

- A. Owner
- B. Interior designer
- C. Owner and interior designer
- D. Subcontractors, owner and interior designer

Correct Answer: C

[Latest NCIDQ Dumps](#)

[NCIDQ VCE Dumps](#)

[NCIDQ Study Guide](#)