

# NCP-MCI-5.20<sup>Q&As</sup>

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

## Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/ncp-mci-5-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

What command is used to run the nutanix cluster checks from the CVM CLI?

- A. ncc health\_check run\_all
- B. ncc run\_all\_health\_check
- C. ncc check\_all health\_options
- D. ncc check\_health run\_all

Correct Answer: A

---

## QUESTION 2

Which Nutanix feature allows a Nutanix cluster to present iSCSI storage to an external devices?

- A. Acropolis File Service
- B. Acropolis block service
- C. Storage Pool
- D. Storage container

Correct Answer: B

---

## QUESTION 3

Which Prism Dashboard should be used to collect CPU/Memory and Disk I/O statistics over time?

- A. Health
- B. Alerts
- C. Hardware
- D. Analysis

Correct Answer: D

---

## QUESTION 4

An administrator needs to convert an existing node to be a Compute Only node. Which two steps should the administrator take? (Choose two.)

- A. Update the license file
- B. Enable CO mode using aCLI
- C. Image the node as CO using Foundation
- D. Add the node to the cluster using Prism Element

Correct Answer: BC

---

#### QUESTION 5

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Correct Answer: D

Explanation: Terminology Availability Zone ?it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies ?in protection policies you set up (RPO, Retention), rules to auto-apply policies to virtual machines

<https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

---

#### QUESTION 6

An administrator has a 4-node Nutanix cluster running on AHV. The administrator creates a new storage container and makes that all available to all hosts. Which storage protocol is used for Virtual Machines to access virtual disks on the storage container?

- A. NFS
- B. SMB/CIFS
- C. iSCSI
- D. Fiber Channel

Correct Answer: C

**QUESTION 7**

An administrator is managing a highly active SQL workload that is writing I/Os in 2 MB chunks to a vDisk. The administrator wants to optimize capacity setting for the computer. Which storage optimization technology should the administration select to meet these requirement?

- A. Erasure Coding
- B. Compression
- C. Capacity Deduplication
- D. Cache Deduplication

Correct Answer: B

---

**QUESTION 8**

Which two access protocols are supported by Files? (Choose two.)

- A. iSCSI
- B. SMB
- C. FCOE
- D. NFS

Correct Answer: BD

---

**QUESTION 9**

Client needs a backup solution to allow the ability to replicate small data sets to public cloud. The RPO of this tertiary data must be 24 hrs or better. Which solution should an engineer recommend to the client base on these requirement?

- A. Protection Domain
- B. Cloud Connect
- C. NearSync
- D. XI Cloud service

Correct Answer: B

---

**QUESTION 10**

A customer wants to isolate a group of VMs within their Nutanix environment for security reasons. The customer creates a VM with two NICs to act as a firewall and installs the appropriate software and certificates.

However, no one from the outside can access the application.

What is the likely cause of this problem?

- A. A shared volume group must be used by all isolated VMs
- B. More than one NIC cannot be added to a VM
- C. One of the NICs needs to be configured on the internal VLAN
- D. Wireshark is installed on the NAT VM

Correct Answer: C

---

**QUESTION 11**

Which two levels of encryption are supported in a Nutanix cluster running third-party hypervisor? (Choose two.)

- A. Node
- B. Cluster
- C. Container
- D. VM

Correct Answer: BC

---

**QUESTION 12**

An administrator wants to secure an application running on an AHV cluster by limiting incoming and outgoing traffic destinations. The administrator creates a security policy for the application. What is the next step?

- A. Apply the Security Policy
- B. Create an isolation policy
- C. Add the Security policy to an existing isolation policy
- D. Restart the VM hosting application

Correct Answer: A

---

**QUESTION 13**

Which prism dashboard should an administrator use to set the frequency of NCC?

- A. data protection
- B. cluster health
- C. Alerts
- D. Tasks

Correct Answer: B

---

**QUESTION 14**

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared. Which two methods can be used to anonymize the log data sent to Nutanix Support? (Choose two.)

- A. On the Health dashboard in Prism, use the Collect Logs option under Actions and choose Anonymize Output
- B. Run the ncc log\_collector tool on a CVM, setting the --anonymize\_output flag to true
- C. Under the User Profile in Prism, select Anonymize Log Output then run Log Collector from the Health dashboard.
- D. Run the ncc log\_collector tool on a CVM, setting the -- enhanced log collector flag to true,

Correct Answer: AB

---

**QUESTION 15**

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared. Which method should be used to anonymize the log data sent to Nutanix Support?

- A. Under the **User Profile** in Prism, select **Anonymize Log Output**, then run **Log Collector** from the **Health** dashboard.
- B. Run the `noc log_collector` tool on a CVM, setting the `--enhanced_log_collector` flag to `true`.
- C. Run the `noc log_collector` tool on a CVM, setting the `--anonymize_output` flag to `true`.
- D. On the **Health** dashboard in Prism, use the **Log Collector** option under **Actions** and choose **Anonymize Logs**.

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[Latest NCP-MCI-5.20 Dumps](#)

[NCP-MCI-5.20 Study Guide](#)

[NCP-MCI-5.20 Exam Questions](#)