

NS0-170^{Q&As}

Network Appliance NetCache

Pass Network Appliance NS0-170 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ns0-170.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Network Appliance Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which one of the following items cannot be configured for NetCache authentication groups?

- A. group name
- B. protocol access permissions
- C. group password
- D. administrative rights

Correct Answer: C

QUESTION 2

A(n) _____ VIF combines two physical interfaces into a single virtual interface where traffic is active on both physical interfaces.

- A. single-mode
- B. multi-mode
- C. cluster-mode
- D. aggregate-mode

Correct Answer: B

QUESTION 3

Which one of the following ACLs will allow requests from the Engineering group to www.netapp.com?

- A. allow group "engineering"and server-name www.netapp.com
- B. allow groupname "engineering"and server-name matches "\.netapp\.com\$"
- C. allow groupname "engineering"and server-name www.netapp.com
- D. allow group "engineering"and server-domain www.netapp.com

Correct Answer: A

QUESTION 4

The NetCache appliance may be used for all of the following EXCEPT _____.

- A. HTTP URL filtering

- B. SMTP proxy
- C. DNS caching
- D. NFS caching

Correct Answer: B

QUESTION 5

The configure "Shared User Hosts" feature under the Appliance Manager's Setup > FTP > Caching Behavior is used to specify:_____ .

- A. FTP servers from which fetched objects will be cached and served without a user- specific key requirement in order to increase the caching efficiency
- B. a subset of FTP servers that will be accelerated by the NetCache appliance
- C. a subset of FTP servers that can be bound to a shared virtual IP address in order to increase overall caching efficiency
- D. a shared IP address that all requesting clients will use to circumvent any authentication or user-specific key requirements on the backend FTP servers

Correct Answer: A

QUESTION 6

Product documentation is available on the appliance and at _____

- A. www.netapp.com
- B. ftp.netapp.com
- C. now.netapp.com
- D. documentation.netapp.com

Correct Answer: C

QUESTION 7

The console password can only be changed via _____ .

- A. floppy disk
- B. the console
- C. rsh
- D. the Appliance Manager

Correct Answer: B

QUESTION 8

What is the default HTTP proxy port on the NetCache?

- A. 80
- B. 8080
- C. 3128
- D. 3132

Correct Answer: C

QUESTION 9

Network Appliance field alerts _____ and _____.

- A. are available at "www.netapp.com"
- B. may be received via email
- C. are available at "now.netapp.com"
- D. replace autosupport

Correct Answer: BC

QUESTION 10

NetCache appliances use RAID ____ with ____ parity disk(s) and ____ or more data disks.

- A. 5, 1, 1
- B. 4, 1, 1
- C. 4, 2, 2
- D. DP, 2, 1

Correct Answer: B

QUESTION 11

Once created, NetCache groups _____.

- A. may not be edited

- B. must be used for authentication
- C. are required to match existing groups on the authentication server
- D. may be edited to revise names, permissions, or ACLs

Correct Answer: D

QUESTION 12

Which one of the following methods can be used to manage the NetCache appliance but cannot be used to access the Command Line Interface (CLI)?

- A. Console
- B. Telnet
- C. rsh
- D. HTTP

Correct Answer: D

QUESTION 13

The default NetCache HTTP administration port is ___ and is a ___ option?

- A. 3128, nonconfigurable
- B. 3132, configurable
- C. 3128, configurable
- D. 3132, nonconfigurable

Correct Answer: B

QUESTION 14

The system messages are _____ .

- A. written to a log file that can be rotated at scheduled intervals
- B. printed on the console and can be sent in "real time" to a remote syslog server
- C. written to a log file that can be rotated at any time
- D. written to a log file that can be pushed to a remote FTP server at scheduled intervals

Correct Answer: B

QUESTION 15

What is the "NTLM Cache" feature typically used for?

- A. Enables NetCache to cache NTLM-authenticated objects.
- B. Enables NetCache to authenticate users using NTLM.
- C. Enables cached objects retrieved as the result of a successful NTLM exchange to be served to new users without requiring authentication.
- D. Enables the caching and reuse of NTLM challenges in order to reduce the processing load on the domain controller.

Correct Answer: D

[Latest NS0-170 Dumps](#)

[NS0-170 VCE Dumps](#)

[NS0-170 Practice Test](#)