

NS0-505^{Q&As}

NetApp Certified Implementation Engineer – SAN ESeries

Pass NetApp NS0-505 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/ns0-505.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which storage manager feature scans the system for issues, reports them, and suggests procedures that will correct the issue?

- A. Recovery guru
- B. Event Log
- C. Diagmon
- D. Performance monitor
- E. Storage array diagnostics

Correct Answer: B

QUESTION 2

What is the proper order to power-on E-Series arrays when a storage system has at least 2 trays? (Choose the best answer.)

- A. Power all expansion drive trays first, wait several minutes for the expansion drive trays to spin up, and then power on the controller drive tray
- B. Power on in any order, since the order does not matter
- C. Power up A-side power supplies first, then power up all B-side power supplies.
- D. Power on the controller drive tray first, then wait several minutes for the controller drive tray to spin up, and then power on all expansion drive trays

Correct Answer: D

QUESTION 3

Which function does the SANtricity Enterprise Management Window (EMW) provide? (Choose the best answer.)

- A. a device discovery option for storage systems to be managed
- B. a multipath I/O driver
- C. volume reconstruction progress updates
- D. a Manage Host Port Identifiers dialog box
- E. a configuration interface for creating disk pools and volume groups

Correct Answer: A

QUESTION 4

Which sequence describes the procedures for hot-adding an additional expansion enclosure to an existing E-Series configuration? (Choose the best answer.)

- A. Add one ESM cable between it and another available expansion port, disrupt the other SAS connection to add second cable, check SANtricity for addition of the new enclosure, power on expansion enclosure.
- B. Power on expansion enclosure, add one ESM cable between it and another available expansion port, check SANtricity for addition of the new enclosure, disrupt the other SAS connection to add second cable
- C. Add one ESM cable between it and another available expansion port, disrupt the other SAS connection to add second cable, power on expansion enclosure, check SANtricity for addition of the new enclosure.
- D. Power on expansion enclosure, add one ESM cable between it and another available expansion port, disrupt the other SAS connection to add second cable, check SANtricity for addition of the new enclosure.

Correct Answer: A

QUESTION 5

What four resources have information to determine space and power and cooling requirements for E-Series storage systems? (Choose four.)

- A. Hardware cabling guide
- B. Install Guide
- C. Hardware Universe
- D. E-Series System Data Sheets
- E. E-Series Power and Cooling Calculator
- F. Site Prep Guide

Correct Answer: BDEF

QUESTION 6

The system automatically disables write caching when _____. (Choose the best answer.)

- A. a disk pool is being expanded by adding a drive
- B. a failed disk drive has put a volume group into a degraded state
- C. there is a failed controller on the system, so that cache mirroring is unavailable
- D. the system detects a small percentage of cache hits over a 10-minute timeframe
- E. more than 4 unique host identifiers are trying to access the same volume

Correct Answer: B

QUESTION 7

What mechanism governs control of the E-Series storage premium features? (Choose the best answer.)

- A. simple password system
- B. special USB flash drive that must be inserted into the controllers
- C. small toggle switches on the controller boards inside the system
- D. key file obtained from vendor and passed to system via SANtricity
- E. online database requiring the controllers to access the internet to activate features

Correct Answer: D

QUESTION 8

When data is written to a snapshot, volume is stored _____. (Choose the best answer.)

- A. on the base volume for that snapshot
- B. on the repository area associated with the snapshot's corresponding image
- C. on the repository associated with the snapshot volume
- D. on the common repository for the snapshot group
- E. on a hot spare drive

Correct Answer: D

QUESTION 9

Synchronous mirroring requires what type of connection between storage systems? (Choose the best answer.)

- A. FC
- B. SAS
- C. iSCSI
- D. InfiniBand

Correct Answer: A

QUESTION 10

What is a best practice recommendation for the automated system monitor? (Choose the best answer.)

- A. It should only run on one client connected to the storage system.
- B. It should be stopped during storage system normal operations.
- C. It should be stopped during a controller firmware upgrade.
- D. It should only be run on Windows server systems.
- E. It should run on all storage manager clients.

Correct Answer: C

[NS0-505 PDF Dumps](#)

[NS0-505 Practice Test](#)

[NS0-505 Exam Questions](#)