

NSE5_FMG-6.0^{Q&As}

Fortinet NSE 5 - FortiManager 6.0

Pass Fortinet NSE5_FMG-6.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse5_fmg-6-0.html

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

View the following exhibit.



Which of the following statements are true if FortiManager and FortiGate are behind the NAT devices? (Choose two.)

- A. FortiGate is discovered by FortiManager through the FortiGate NATed IP address.
- B. FortiGate can announce itself to FortiManager only if the FortiManager IP address is configured on FortiGate under central management.
- C. During discovery, the FortiManager NATed IP address is not set by default on FortiGate.
- D. If the FGFM tunnel is torn down, FortiManager will try to re-establish the FGFM tunnel.

Correct Answer: AD

QUESTION 2

Which of the following statements are true regarding SD-WAN Central Management? (Choose three.)

- A. SD-WAN must be enabled on per-ADOM basis
- B. SD-WAN settings can be installed on multiple FortiGate devices at the same time
- C. You can create multiple SD-WAN interfaces per VDOM
- D. When you configure an SD-WAN, you must specify at least two member interfaces.
- E. The first step in creating an SD-WAN using FortiManager is to create two SD-WAN firewall policies.

Correct Answer: BCD

QUESTION 3

What does a policy package status of Modified indicate?

- A. FortiManager is unable to determine the policy package status

- B. The policy package was never imported after a device was registered on FortiManager
- C. Policy configuration has been changed on a managed device and changes have not yet been imported into FortiManager
- D. Policy package configuration has been changed on FortiManager and changes have not yet been installed on the managed device.

Correct Answer: D

QUESTION 4

- A. port2
- B. virtual-wan-link
- C. port1
- D. auto-discovery

Correct Answer: B

QUESTION 5

What configuration setting for FortiGate is part of a device-level database on FortiManager?

- A. VIP and IP Pools
- B. Firewall policies
- C. Security profiles
- D. Routing

Correct Answer: D

QUESTION 6

View the following exhibit: Which of the following statements are true if the scripts is executed using Remote FortiGate Directly (via CLI) option? (Choose two.)

Create New CLI Script

[\[View Sample Script\]](#)

Script Name	Config	
Comments	Write a comment	0/255
Type	CLI Script	
Run Script on	Remote FortiGate Directly(via CLI)	

Script Detail

```
config vpn ipsec phase1-interface
edit "H25_0"
set auto-discovery-sender enable
next
end
config system interface
edit "H25_0"
set vdcn "root"
set ip 172.16.1.1 255.255.255.255
set remote-ip 172.16.1.254
next
end
config router bgp
set as 65100
set router-id 172.16.1.1
config neighbor-group
```

Advanced Device Filters

- A. You must install these changes using Install Wizard
- B. FortiGate will auto-update the FortiManager\'s device-level database.
- C. FortiManager will create a new revision history.
- D. FortiManager provides a preview of CLI commands before executing this script on a managed FortiGate.

Correct Answer: BD

QUESTION 7

An administrator has assigned a global policy package to a new ADOM called ADOM1. What will happen if the administrator tries to create a new policy package in ADOM1?

- A. When creating a new policy package, the administrator can select the option to assign the global policy package to

the new policy package

- B. When a new policy package is created, the administrator needs to reapply the global policy package to ADOM1.
- C. When a new policy package is created, the administrator must assign the global policy package from the global ADOM.
- D. When the new policy package is created, FortiManager automatically assigns the global policy package to the new policy package.

Correct Answer: D

QUESTION 8

View the following exhibit.

Starting Log (Run the device)

Start installing

Local-FortiGate \$ config user device

Local-FortiGate (device) \$ edit "mydevice"

new entry 'mydevice' added

Local-FortiGate (mydevice) \$ next

MAC address can not be 0

Node_check_object fail!for mac 00:00:00:00:00:00

Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33

Command fail. Return code 1

Local-FortiGate (device) \$ end

...

Local-FortiGate \$ config firewall policy

Local-FortiGate (policy) \$ edit 2

New entry '2' added

Local-FortiGate (2) \$ set name "Device_policy"

Local-FortiGate (2) \$ set uuid 64...

Local-FortiGate (2) \$ set srcintf "port3"

Local-FortiGate (2) \$ set dstintf "port1"

Local-FortiGate (2) \$ set srcaddr "all"

Local-FortiGate (2) \$ set dstaddr "all"

Local-FortiGate (2) \$ set action accept

Local-FortiGate (2) \$ set schedule "always"

Local-FortiGate (2) \$ set service "ALL"

Local-FortiGate (2) \$ set devices "mydevice"

Entry not found in datasource

Value parse error before 'mydevice'

Command fail. Return code -3

Local-FortiGate (2) \$ set nat enable

Local-FortiGate (2) \$ next

Local-FortiGate (policy) \$ end

...

Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address
- B. Policy ID 2 will not be installed
- C. Policy ID 2 is installed in disabled state
- D. Policy ID 2 is installed without a source device

Correct Answer: D

QUESTION 9

An administrator is unable to log in to FortiManager. Which one of the following troubleshooting step should you take to resolve the issue?

- A. Make sure FortiManager Access is enabled in the administrator profile
- B. Make sure Offline Mode is disabled
- C. Make sure the administrator IP address is part of the trusted hosts.
- D. Make sure ADOMs are enabled and the administrator has access to the Global ADOM

Correct Answer: C

QUESTION 10

View the following exhibit.

The screenshot displays the FortiGate GUI. The top navigation bar includes 'Device Manager', 'Device & Groups', 'Firmware', and 'License'. The 'Device Manager' section shows 'Managed FortiGate' with 4 devices. A list of devices is shown: Local-FortiGate, Remote-FortiGate, root [NAT] (Management), Student[NAT], and Trainer [NAT]. The 'Policy & Objects' section is also visible, showing 'Policy Packages' and 'Object Configuration'. The 'Policy Packages' section shows a list of packages: Shared Package, IPv4 Policy, and Installation Targets. The 'Installation Targets' section shows a list of targets: Installation Target, Remote-FortiGate, root [NAT][Management], Student[NAT], and Local-PortiGate. The 'Policy Packages' section also shows a table with columns: Seq.#, Install On, Name, From, and To. The table contains three rows: 1. Seq.# 1, Install On Remote-FortiGate(Student), Name Ping_Access, From port3, To port1. 2. Seq.# 2, Install On Remote-FortiGate(Student), Name Web, From port3, To port1. 3. Seq.# 3, Install On Installation Targets, Name Source_Device, From port3, To port1.

Seq.#	Install On	Name	From	To
1	Remote-FortiGate(Student)	Ping_Access	port3	port1
2	Remote-FortiGate(Student)	Web	port3	port1
3	Installation Targets	Source_Device	port3	port1

Which one of the following statements is true regarding installation targets in use Install On column?

- A. The Install On column value represents successful installation on the managed devices
- B. Policy seq#3 will be installed on all managed devices and VDOMs that are listed under Installation Targets
- C. Policy seq#3 will be installed on the Trainer[NAT] VDOM only
- D. Policy seq#3 will be not installed on any managed device

Correct Answer: B

[NSE5_FMG-6.0 VCE Dumps](#)

[NSE5_FMG-6.0 Study Guide](#)

[NSE5_FMG-6.0 Exam Questions](#)