## NSE6\_FML-6.2<sup>Q&As</sup>

Fortinet NSE 6 - FortiMail 6.2

# Pass Fortinet NSE6\_FML-6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/nse6\_fml-6-2.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update


Leads4Pass

800,000+ Satisfied Customers



#### **QUESTION 1**

Refer to the exhibit.



+ New.		Edit	Delete. 🐢	Move 🕶							
0 « <		1 - /1	> > Reco	ords per page: 50	•						
Enabled	ID	Source	Destinati	Session	AntiSpam	AntiVirus	Content	DLP	IP Pool	Authentication	Exclu
0	1	0.0.0.0/0	0.0.0.0/0	Example Session							0

An administrator has enabled the sender reputation feature in the Example\_Session profile on FML-1. After a few hours, the deferred queue on the mail server starts filling up with undeliverable email. What two changes must the administrator make to fix this issue? (Choose two.)

A. Apply a session profile with sender reputation disabled on a separate IP policy for outbound sessions

- B. Clear the sender reputation database using the CLI
- C. Create an outbound recipient policy to bypass outbound email from session profile inspections
- D. Disable the exclusive flag in IP policy ID 1

Correct Answer: AD

#### **QUESTION 2**

Refer to the exhibit.

Session Pro	file		
Profile name:	Example_Session		
SMTP L	imits		
Restrict number	er of EHLO/HELOs per session to:	3	1007
Restrict number of email per session to:			-
Restrict number of recipients per email to:			-
Cap message size (KB) at:			****
Cap header size (KB) at:			-
Maximum number of NOOPs allowed for each connection			1000
Maximum numb	er of RSETs allowed for each connection:	20	-

FortiMail		
Domain name:	example.com	
Relay type:	Host 💌	
SM	TP server: 10.29.1.45 Use SMTPS	Port 25 - [Test]
Fall	back SMTP server:	Port 25 - [Test]
	Use SMTPS	
0	Relay Authentication	

Other					
Webmail theme:	Use system settings -				
Webmail language: Maximum message size(KB):	Default 🔻				
Maximum message size(ND).	204800 —				
SMTP greeting (EHLO/HELO) nan	ne (as client)Use system host name				
IP pool:None	Direction: Delivering				
<ul> <li>Remove received header of</li> <li>Use global bayesian databa</li> </ul>					

Which message size limit will FortiMail apply to the outbound email?

A. 204800

B. 1024

C. 51200

D. 10240

Correct Answer: A

#### **QUESTION 3**

Refer to the exhibit.

C:\>nslookup -t Server: PriNs	ype=mx example.com
Address: 10.20	
Non-authoritativ	e answer:
example.com	MX preference = 10, mail exchanger = mx.hosted.com
example.com	MX preference = 20, mail exchanger = mx.example.com

Which two statements about the MTAs of the domain example.com are true? (Choose two.)

- A. The external MTAs will send email to mx.example.com only if mx.hosted.com is unreachable
- B. The PriNS server should receive all email for the example.com domain
- C. The primary MTA for the example.com domain is mx.hosted.com
- D. The higher preference value is used to load balance more email to the mx.example.com MTA

Correct Answer: AC

#### **QUESTION 4**

Which firmware upgrade method for an active-passive HA cluster ensures service outage is minimal, and there are no unnecessary failovers?

- A. Break the cluster, upgrade the units independently, and then form the cluster
- B. Upgrade both units at the same time
- C. Upgrade the standby unit, and then upgrade the active unit
- D. Upgrade the active unit, which will upgrade the standby unit automatically

Correct Answer: B

Reference: https://docs.fortinet.com/document/fortimail/6.2.0/administration-guide/725928/upgradingfirmware-on-haunits

### **QUESTION 5**

Refer to the exhibit.

Domain:	example.	com		•		
Profile name:	AV_Actio	n				
Tag subject						
Insert heade	r 🖬					
Insert disclai	mer def	ault	✓ at	Start of message	•	
Deliver to alt	ernate hos	t				
Deliver to or	ginal host					
BCC 🗄						
D Replace Infe	cted/suspi	cious body or at	tachmen	it(s)		
Replace Infe	Archive to account		archive 🗸		+New	🗹 Edit
	count	ulenive		2.7.2	The she search of	

What are two expected outcomes if FortiMail applies this antivirus action profile to an email? (Choose two.)

- A. Virus content will be removed from the email
- B. A replacement message will be added to the email
- C. The sanitized email will be sent to the recipient\\'s personal quarantine
- D. The administrator will be notified of the virus detection

Correct Answer: BC

NSE6\_FML-6.2 PDF Dumps NSE6\_FML-6.2 VCE Dumps NSE6\_FML-6.2 Study Guide