

NSE6_FNC-8.5^{Q&As}

Fortinet NSE 6 - FortiNAC 8.5

Pass Fortinet NSE6_FNC-8.5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse6_fnc-8-5.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

What agent is required in order to detect an added USB drive?

- A. Mobile
- B. Passive
- C. Dissolvable
- D. Persistent

Correct Answer: D

Expand the Persistent Agent folder. Select USB Detection from the tree.

Reference: <https://docs.fortinet.com/document/fortinac/8.5.2/administration-guide/814147/usb-detection>

QUESTION 2

What would happen if a port was placed in both the Forced Registration and the Forced Remediation port groups?

- A. Both enforcement groups cannot contain the same port.
- B. Only at-risk hosts would be impacted.
- C. Only rogue hosts would be impacted.
- D. Both types of enforcement would be applied.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/837785/system-groups>

QUESTION 3

Which agent can receive and display messages from FortiNAC to the end user?

- A. Persistent
- B. Passive
- C. MDM
- D. Dissolvable

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortinac/8.7.0/administration-guide/594507/agent-packages>

QUESTION 4

Refer to the exhibit.

General			
User Name	<input type="text" value="admin"/>	Password	<input type="password" value="....."/>
Enable Password	<input type="text"/>		
Protocol			
Type	<input type="text" value="SSH 2"/>		
VLAN ID			
Default	<input type="text" value="2"/>	Dead End	<input type="text" value="112"/>
Registration	<input type="text"/>	Quarantine	<input type="text" value="111"/>
Authentication	<input type="text"/>	Voice	<input type="text"/>
CLI Configurations			
Type:	<input checked="" type="radio"/> None <input type="radio"/> Port Based <input type="radio"/> Host Based		
		<input type="button" value="Apply"/>	<input type="button" value="Reset"/>

If you are forcing the registration of unknown (rogue) hosts, and an unknown (rogue) host connects to a port on the switch, what will occur?

- A. No VLAN change is performed.
- B. The host is disabled.
- C. The host is moved to VLAN 111.
- D. The host is moved to a default isolation VLAN.

Correct Answer: B

The ability to limit the number of workstations that can connect to specific ports on the switch is managed with Port Security. If these limits are breached, or access from unknown workstations is attempted, the port can do any or all of the following: drop the untrusted data, notify the network administrator, or disable the port.

Reference: https://www.alliedtelesis.com/sites/default/files/documents/solutions-guides/lan_protection_solution_reva.pdf

QUESTION 5

With enforcement for network access policies and at-risk hosts enabled, what will happen if a host matches a network access policy and has a state of "at risk"?

- A. The host is provisioned based on the network access policy.
- B. The host is provisioned based on the default access defined by the point of connection.
- C. The host is isolated.
- D. The host is administratively disabled.

Correct Answer: A

Reference: <https://docs.fortinet.com/document/fortinac/8.6.0/administration-guide/49701/policy-assignment>

[Latest NSE6_FNC-8.5 Dumps](#)

[NSE6_FNC-8.5 Study Guide](#)

[NSE6_FNC-8.5 Exam Questions](#)