

NSE7_PBC-6.4^{Q&As}

Fortinet NSE 7 - Public Cloud Security 6.4

Pass Fortinet NSE7_PBC-6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/nse7_pbc-6-4.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You need to deploy FortiGate VM devices in a highly available topology in the Microsoft Azure cloud. The following are the requirements of your deployment:

Two FortiGate devices must be deployed; each in a different availability zone.

Each FortiGate requires two virtual network interfaces: one will connect to a public subnet and the other will connect to a private subnet.

An external Microsoft Azure load balancer will distribute ingress traffic to both FortiGate devices in an active-active topology.

An internal Microsoft Azure load balancer will distribute egress traffic from protected virtual machines to both FortiGate devices in an active-active topology.

Traffic should be accepted or denied by a firewall policy in the same way by either FortiGate device in this topology.

Which FortiOS CLI configuration can help reduce the administrative effort required to maintain the FortiGate devices, by synchronizing firewall policy and object configuration between the FortiGate devices?

- A. config system sdn-connector
- B. config system ha
- C. config system auto-scale
- D. config system session-sync

Correct Answer: B

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/84777/using-standaloneconfiguration-synchronization>

QUESTION 2

An Amazon Web Services (AWS) auto-scale FortiGate cluster has just experienced a scale-down event, terminating a FortiGate in availability zone C.

What action will the worker node automatically perform to restore access to the black-holed subnet?

- A. The worker node applies a route table from a non-black-holed subnet to the black-holed subnet.
- B. The worker node moves the virtual IP of the terminated FortiGate to a running FortiGate on the worker node's

private subnet interface.

C. The worker node modifies the route table applied to the black-holed subnet changing its default route to point to a running FortiGate on the worker node's private subnet interface.

D. The worker node migrates the subnet to a different availability zone.

Correct Answer: D

QUESTION 3

What is the bandwidth limitation of an Amazon Web Services (AWS) transit gateway VPC attachment?

A. Up to 1.25 Gbps per attachment

B. Up to 50 Gbps per attachment

C. Up to 10 Gbps per attachment

D. Up to 1 Gbps per attachment

Correct Answer: A

Reference: <https://d1.awsstatic.com/whitepapers/building-a-scalable-and-secure-multi-vpc-aws-networkinfrastructure.pdf> (5)

QUESTION 4

You have been tasked with deploying FortiGate VMs in a highly available topology on the Amazon Web Services (AWS) cloud. The requirements for your deployment are as follows:

You must deploy two FortiGate VMs in a single virtual private cloud (VPC), with an external elastic load balancer which will distribute ingress traffic from the internet to both FortiGate VMs in an active-active topology.

Each FortiGate VM must have two elastic network interfaces: one will connect to a public subnet and other will connect to a private subnet.

To maintain high availability, you must deploy the FortiGate VMs in two different availability zones.

How many public and private subnets will you need to configure within the VPC?

A. One public subnet and two private subnets

B. Two public subnets and one private subnet

C. Two public subnets and two private subnets

D. One public subnet and one private subnet

Correct Answer: A

QUESTION 5

Summary

Validation failed, see errors below

BadRequest
Offer with PublisherId: fortinet_fortigate-vm_v5 cannot be purchased due to validation errors. See details for more information. [{"Offering doesn't support payment instrument type. Marketplace only accepts credit card for paid purchases. In order to proceed, please switch to an Azure subscription associated to a credit card or choose a free or BYOL Marketplace offer." : "AzureDataMarket"}]

Basics

Subscription	Fortinet Engineering
Resource group	NSE7RG
Location	East US
FortiGate Instance Name	NSE7FortiGate
PAYG/BYOL License	5.6.3 (PAYG)
FortiGate administrative usern...	fortiadmin
FortiGate Password	*****

Network and Instance Settings

Virtual network	FortigateProtectedVNet
Outside Subnet	PublicFacingSubnet
Outside Subnet address prefix	10.46.0.0/24
Inside Subnet	InsideSubnet
Inside Subnet address prefix	10.46.1.0/24
Virtual machine size	Standard F2s_v2

Refer to the exhibit. You are deploying a FortiGate-VM in Microsoft Azure using the PAYG/On-demand licensing model. After you configure the FortiGate-VM, the validation process fails, displaying the error shown in the exhibit.

What caused the validation process to fail?

- A. You selected the incorrect resource group.
- B. You selected the Bring Your Own License (BYOL) licensing mode.
- C. You selected the PAYG/On-demand licensing model, but did not select correct virtual machine size.
- D. You selected the PAYG/On-demand licensing model, but did not associate a valid Azure subscription.

Correct Answer: A

[NSE7_PBC-6.4 PDF Dumps](#)

[NSE7_PBC-6.4 VCE
Dumps](#)

[NSE7_PBC-6.4 Braindumps](#)