

## P9530-039<sup>Q&As</sup>

IBM WebSphere MQ Technical Sales Mastery Test v2

**Pass IBM P9530-039 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/p9530-039.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following MQ objects does NOT have cluster workload balancing attributes?

- A. Queue
- B. Topic
- C. Channel
- D. Queue manager

Correct Answer: B

---

**QUESTION 2**

Which topic string is NOT valid for a subscribing application to get all messages about fresh fruit if a topic tree exists with the following topic hierarchy: deli/fresh; deli/tinned/nuts; deli/tinned/meat?

- A. deli
- B. deli+/fruit
- C. deli/fresh/fruit
- D. deli/#

Correct Answer: A

---

**QUESTION 3**

Which of the following is NOT a valid method of administration for WebSphere MQ v7?

- A. WebSphere MQ Explorer
- B. Integrated Solutions Console
- C. Command-line
- D. PCF commands

Correct Answer: B

---

**QUESTION 4**

Which statement is TRUE regarding WebSphere MQ and message routing?

- A. WebSphere MQ will look for a consumer name in the message description (MQMD) header.

- B. WebSphere MQ does not route based on the contents of the message body.
- C. You can write an XPATH expression to tell WebSphere MQ how to route the message to the appropriate consumer.
- D. WebSphere MQ will examine the message properties and route it to the appropriate consumer.

Correct Answer: B

---

**QUESTION 5**

On distributed systems, to determine the access rights a user has to a WebSphere MQ object which entity most accurately describes where to look?

- A. Access control lists
- B. Objects authorities
- C. Objects rights
- D. Object privileges

Correct Answer: B

---

**QUESTION 6**

If a .NET program using WebSphere MQ wishes to communicate with a Java program using WebSphere MQ, which of the following is NOT true?

- A. The Java program can use the WebSphere MQ classes for Java.
- B. The .NET program can use the WebSphere MQ classes for .NET.
- C. The Java program can use the WebSphere MQ classes for JMS.
- D. The .NET program can use the WebSphere MQ classes for NMS.

Correct Answer: D

---

**QUESTION 7**

In order to run MQv7 on a distributed platform with earlier versions of WebSphere MQ running on the same physical server, what must you do?

- A. This configuration is not allowed.
- B. Install MQv7 into a different directory than previous versions.
- C. Map listeners to different ports.
- D. Both B and C.

Correct Answer: A

---

**QUESTION 8**

Which of the following is NOT a channel connection enhancement new in WebSphere MQ v7?

- A. MQI channel connections can be shared
- B. SSL encryption for each MQI Channel connection
- C. Read-ahead for non-persistent messages
- D. Automatic client reconnection

Correct Answer: B

---

**QUESTION 9**

In order for a MQ program to send a message to another MQ program using a queue, which of the following is true?

- A. The sending program must request the receiving program's queue name from the WebSphere MQ queue manager.
- B. The sending program, the receiving program, and WebSphere MQ must all be currently running before any of the queues can be accessed.
- C. The sending program and the receiving program must agree on which queue they will use for communicating.
- D. The sending program specifies the receiver program name in a message header by which WebSphere MQ uses to send the message to the receiver program.

Correct Answer: C

---

**QUESTION 10**

Which of the following functions has been added to WebSphere MQ Explorer in WebSphere MQ v7?

- A. Rollback in-doubt transactions from the WebSphere MQ Explorer
- B. Change WebSphere MQ administrator password from the WebSphere MQ Explorer
- C. Command line interface for WebSphere MQ Explorer
- D. Create and configure WebSphere MQ JMS administered objects

Correct Answer: D