

# PSE-PRISMALCLOUD<sup>Q&As</sup>

PSE Palo Alto Networks System Engineer Professional - Prisma Cloud

## Pass Palo Alto Networks PSE-PRISMALCLOUD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/pse-prismacloud.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto  
Networks Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

Which Prisma Public Cloud policy alerts administrators to unusual user activity?

- A. Anomaly
- B. Audit Event
- C. Network
- D. Configuration

Correct Answer: A

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-policies/anomaly-policies.html>


## QUESTION 2

Match the logging service with its cloud provider.

Select and Place:

CloudWatch	Drag answer here	<div>Azure</div> <div>Google Cloud Platform</div> <div>Amazon Web Services</div>
Activity log	Drag answer here	
Stackdriver	Drag answer here	
Monitor	Drag answer here	
CloudTrail	Drag answer here	
Cloud Audit	Drag answer here	

Correct Answer:



### QUESTION 3

The VM-Series integration with Amazon GuardDuty feeds malicious IP addresses to the VM-Series NGFW using XML API to populate a Dynamic Address Group within a Security policy that blocks traffic. How does Amazon Web Services achieve this integration?

- A. SNS
- B. SQS
- C. CodeDeploy
- D. Lambda

Correct Answer: D

### QUESTION 4

When an on-premises NGFW (customer gateway) is used to connect to the Virtual Gateway, which two IKE profiles cannot be used? (Choose two.)

- A. Group2 / SHA-1 / AES-128-CBC / IKE-V1
- B. Group2 / SHA-1 / AES-128-GCM / IKE-V1
- C. Group14 / SHA-256 / AES-256-GCM / IKE-V1
- D. Group2 / SHA-1 / AES-128-CBC

E. Group14 / SHA-256 / AES-256-CBC / IKE-V1

Correct Answer: BCD

---

## QUESTION 5

Which three anomaly policies are predefined in Prisma Public Cloud? (Choose three.)

- A. Excessive login failures
- B. Unusual user activity
- C. Denial-of-service activity
- D. Account hijacking attempts
- E. Suspicious file activity

Correct Answer: ABD

Account hijacking attempts

--Detect potential account hijacking attempts discovered by identifying unusual login activities. These can happen if there are concurrent login attempts made in short duration from two different geographic locations, which is impossible time travel, or login from a previously unknown browser, operating system, or location.

Excessive login failures

--Detect potential account hijacking attempts discovered by identifying brute force login attempts. Excessive login failure attempts are evaluated dynamically based on the models observed with continuous learning.

Unusual user activity

--Discover insider threat and an account compromise using advanced data science. The Prisma Cloud machine learning algorithm profiles a user's activities on the console, as well as the usage of access keys based on the location and the type of cloud resources.

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-policies/anomaly-policies.html>

---

## QUESTION 6

In which two ways does Palo Alto Networks VM orchestration help service providers automatically provision security instances and policies? (Choose two.)

- A. fully instrumented API
- B. Aperture Orchestration Engine
- C. VM Orchestration Policy Editor
- D. support for Dynamic Address Groups

Correct Answer: BD

---

## QUESTION 7

Which configuration needs to be done to perform user entity behavior analysis with Prisma Public Cloud?

- A. Create alert rules.
- B. Whitelist IP addresses.
- C. Configure User-ID.
- D. Define enterprise settings.

Correct Answer: D

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-policies/anomaly-policies.html>

---

## QUESTION 8

Which RQL string searches for all EBS volumes that do not have a "DataClassification" tag?

- A. config where api.name = \'aws-ec2-describe-volumes, AND json.rule = tags[\*]key contains DataClassification
- B. config where api.name = ,aws-ec2-describe-volumes\' AND json.rule = tags[\*]key != DataClassification
- C. config where api.name = ,aws-ec2-describe-volumes\' AND json.rule = tags[\*].key exists
- D. config where api.name = \'aws-ec2-describe-volumes\' AND json.rule = tags[\*].key = 1

Correct Answer: D

---

## QUESTION 9

What resource is required to receive inbound traffic from the internet to VM-Series NGFW deployed as a gateway for Azure Stack workloads?

- A. Public IP for the VM-Series NGFW
- B. NAT appliance
- C. Azure Stack Edge Router
- D. Border Customer Network

Correct Answer: C

---

## QUESTION 10

What are two ways to initially deploy a VM-Series NGFW in Microsoft Azure? (Choose two.)

- A. through ARM Templates in the GitHub Repository
- B. through Solution Templates in the Azure Marketplace
- C. through Expedition in the Customer Success Portal
- D. through Iron Skillets in the GitHub Repository

Correct Answer: AC

[Latest PSE-PRISMACLOUD Dumps](#)

[PSE-PRISMACLOUD Practice Test](#)

[PSE-PRISMACLOUD Study Guide](#)