

# QSDA2019<sup>Q&As</sup>

Qlik Sense Data Architect Certification Exam - June 2019 Release

## Pass Qlik QSDA2019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/qsd2019.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Qlik Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A human resources (HR) team manager is due to go on leave. The manager needs to assign permissions to colleague to help the HR team publish apps.

Which action(s) should the manager assign to the colleague before going on leave?

- A. Owner Publish
- B. Publish
- C. Owner Publish, Read
- D. Publish, Read

Correct Answer: D

## QUESTION 2

Refer to the exhibits.

Conversion Table:		Master Calendar:
DateTime	Exchange Rate	Date
2019-07-01T23:00:00Z	0.627857	2019-07-23T23:00:00Z
2019-07-23T23:00:00Z	0.682659	2019-09-23T23:00:00Z
2019-06-01T23:00:00Z	1	2019-06-01T23:00:00Z
2019-06-23T23:00:00Z	44.258	
2019-05-01T23:00:00Z	48.12783	
2019-05-23T23:00:00Z	70.4975	
2019-04-01T23:00:00Z	75.7755	
2019-04-23T23:00:00Z	82.389	
2019-03-23T23:00:00Z	120.69	

A business analyst needs to see the currency conversion rate for any given date in a chart. The currency conversion rate data comes from Qlik DataMarket and only contains a record when the rate changes. An existing master calendar exists in the data model which contains a full set of dates.

Which technique should the data architect use to meet this requirement?

- A. Outer Join the calendar with the currency conversion table. Order by the date and use the Peek function to fill in blank values.
- B. Use a FOR loop between the start date and end date of the master calendar. Use the Match function to add the currency conversion rates to the master calendar.
- C. Use IntervalMatch to load the currency conversion rate between dates the conversion changed. Inner Join the resultant table back into the master calendar.

D. Use IterNo and AutoGenerate to create a new calendar from max and mm dates of the currency conversion table  
Force concatenate with the master calendar

Correct Answer: A

---

### QUESTION 3

Refer to the exhibit.

```
Section Access:
SecurityTable:
Load * INLINE [
ACCESS, USERID, LINK, OMIT
ADMIN, ABC\QSERVICE, LEVEL
USER, ABC\EFN, *,
USER, ABC\JCS, *,
USER, ABC\MMD, NA,
USER, ABC\MMD, SA,
USER, ABC\HDD, EMEA,
USER, ABC\PPP, *, LEVEL
];
```

The Section Access security table for an app is shown User ABC\PPP opens a Qlik Sense app with a table using the field called LEVEL on one of the table columns.

What is the result?

- A. The user gets an "Invalid visualization" error
- B. The table is displayed without the LEVEL column
- C. The table is removed from the user interface
- D. The user gets a "Field not found" error

Correct Answer: A

---

### QUESTION 4

Refer to the exhibit.

```
Section Access;
LOAD * INLINE [
ACCESS, USERID, GROUP, REGION, OMIT
USER, DOMAIN\USER1, Program Manager, *, UK
USER, DOMAIN\USER2, Training, IT, Salary
USER, DOMAIN\USER3, Presales, UK, Salary
USER, DOMAIN\USER4, Training, NL, Salary
];

Section Application;
LOAD * INLINE [
REGION, Description
DE, Germany
IT, Italy
UK, United Kingdom
NL, The Netherlands
];
```

USER1 has an app protected using this Section Access statement. Which countries can USER1 see in the app\''

- A. Germany. Italy, United Kingdom, The Netherlands
- B. Italy, The Netherlands
- C. Italy, United Kingdom, The Netherlands
- D. Germany Italy, The Netherlands

Correct Answer: D

---

#### QUESTION 5

A data architect needs to load data from two different databases. Additional data will be added from a folder that contains QVDs, text files, and Excel files.

What is the minimum number of data connections required?

- A. Two
- B. Four
- C. Five
- D. Three

Correct Answer: A

---

**QUESTION 6**

Refer to the exhibits.

**Region**

Region.ID
Region
EmployeeID
Sales

**Preview**

Region	Preview of data			
Region	Region.ID	Region	EmployeeID	Sales
Rows	14			
Fields	4			
Keys	0			
Tags	\$numeric \$integer \$ascil \$text			
	1	North	-	-
	2	West	-	-
	4	South	-	-
	5	-	-	-
	1	-	111	100
	1	-	222	50
	1	-	333	150

**Sheet1**

Region	Region.ID	Sum(Sales)
Totals		1425
North	1	0
South	4	0
West	2	0
-	1	300
-	2	225
-	3	200
-	4	300
-	5	0
-		400

Executives need to see the total sales by region for the current year. The data architect inherits App1 from a former employee who tried to address this requirement. Two Excel spreadsheets, Region and Employee, are used as the data source. The data architect creates a table and identifies errors in the amount of sales per region.

How should the data architect resolve the errors?

- A. In the data manager split the Region table and associate by EmployeeID
- B. In the data manager split the Region table and associate by Region.ID
- C. In the data load editor, concatenate the Region and Employee tables
- D. In the data manager, concatenate the Region table and associate by Region.ID

Correct Answer: B

---

#### QUESTION 7

A data architect needs to efficiently prepare a data model for a meeting in an hour. The data source to be used contains five date fields. The app needs to display sales trends and compare the current year to date (CYTD) to last year to date (LYTD). The app is NOT going to be published. It will only be used for this meeting and a single user's ad-hoc analysis. What should the data architect do to meet these requirements?

- A. Create a canonical calendar
- B. Load a calendar island
- C. Use the data manager
- D. Create five master calendars

Correct Answer: C

---

#### QUESTION 8

A company generates 1 GB of ticketing data daily. The data is stored in multiple tables Business users need to see trends of tickets processed for the past two years. Users very rarely access the transaction-level data for a specific date. Only the past two years of data must be loaded which is 720 GB of data Which method should a data architect use to meet these requirements?

- A. Load only two years of data in an aggregated app and create a separate transaction app for occasional use
- B. Load only two years of data and use best practices in scripting and visualization to calculate and display aggregated data
- C. Load only aggregated data for two years and use Direct Discovery for transaction data
- D. Load only aggregated data for two years and use ODAG for transaction data

Correct Answer: D

---

#### QUESTION 9

A data architect completes development of a new app with two data sources Both data sources will also be used by other apps in the future The sources have different data refresh frequencies: Source 1 Contains frequently updated data

and must be refreshed hourly Source 2 Contains data that is transferred from a partner and must be refreshed weekly

Tasks must be created to load the data sources and make sure that the new app uses the most current data The data will be stored in two QVDs.

Which tasks should be created to meet these requirements?

A. 1. ScheduleTask 1 to run hourly and refresh data from Source 1

2.

ScheduleTask 2 to run weekly and refresh data from Source 2

3.

Schedule a task for the app that is dependent on completion ofTasks 1 or 2 that loads the two QVDs

B. 1. ScheduleTask 1 to run hourly and refresh data from Source 1

2.

ScheduleTask 2 that is dependent onTask 1 to refresh data from Source 2

3.

Schedule a task for the app that is dependent on completion ofTask 2 that loads the two QVDs

C. 1. ScheduleTask 1 to run hourly and refresh data from Source 1

2.

ScheduleTask 2 that is dependent onTask 1 to refresh data from Source 2

3.

Schedule a task for the app that is dependent on completion ofTasks 1 and 2 that loads the two QVDs

D. 1. ScheduleTask 1 to run hourly and refresh data from Source 1

2.

ScheduleTask 2 to run weekly and refresh data from Source 2

3.

Schedule a task for the app that is dependent on completion ofTask 2 that loads the two QVDs

Correct Answer: D

---

## QUESTION 10

Refer to the exhibit.

```
Table_A:  
LOAD * INLINE [  
Field_1, Field_2, Field_3  
A, 1, 001  
A, 2, 003  
B, 3, 005 ];
```

```
Table_B:  
LOAD * INLINE [  
Field_1, Field_2, Field_4  
A, 1, 456  
A, 3, 567  
B, 1, 789]
```

A data architect needs to modify the script to ONLY load rows from Table\_B when Field\_1 and Field\_2 are the same as in Table\_A. (For example, only the row containing A. 1. 456 should be loaded from Table\_B ) Which script should the data architect use?



A)

```
Table_A:
LOAD * INLINE [
Field_1, Field_2, Field_3
A, 1, 001
A, 2, 003
B, 3, 005 ];

Table_B:
LOAD * INLINE [
Field_1, Field_2, Field_4
A, 1, 456
A, 3, 567
B, 1, 789]
Where Exists(Field_1,Field_2);
```

B)

```
Table_A:
LOAD * INLINE [
Field_1, Field_2, Field_3
A, 1, 001
A, 2, 003
B, 3, 005 ];

Table_B:
Left Keep(Table_A)
LOAD * INLINE [
Field_1, Field_2, Field_4
A, 1, 456
A, 3, 567
B, 1, 789];
```

C)

```
Table_A:
LOAD * INLINE [
Field_1, Field_2, Field_3
A, 1, 001
A, 2, 003
B, 3, 005 ];

Table_B:
LOAD * INLINE [
Field_1, Field_2, Field_4
A, 1, 456
A, 3, 567
B, 1, 789]
Where Exists(Field_*);
```

D)

```
Table_A:  
LOAD * INLINE [  
Field_1, Field_2, Field_3  
A, 1, 001  
A, 2, 003  
B, 3, 005 ];  
Right Keep(Table_A)
```

```
Table_B:  
LOAD * INLINE [  
Field_1, Field_2, Field_4  
A, 1, 456  
A, 3, 567  
B, 1, 789];
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[QSDA2019 PDF Dumps](#)

[QSDA2019 Practice Test](#)

[QSDA2019 Exam Questions](#)