RH133^{Q&As}

Red Hat Linux System Administration

Pass RedHat RH133 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/rh133.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which of the following commands is used to compress a tar file?
A. tar
B. gzip
C. compress
D. dump
Correct Answer: B
QUESTION 2
Which of the following files does mount command read to determine which options should be used when mounting the specified device?
A. /etc/xinetd.conf
B. /etc/inittab
C. /etc/auto.master
D. /etc/fstab
Correct Answer: D
QUESTION 3
By default, which of the following commands configures the current run level?
A. chkconfig
B. pstree
C. service
D. ntsysv
Correct Answer: D
QUESTION 4

Which of the following Linux file systems is a virtual file system?

A. /var

B. /proc
C. /usr
D. /home
Correct Answer: B
QUESTION 5
What does the third field in the process entry of the /etc/inittab file define?
A. It defines the name of the process to be executed.
B. It is an identification number of the process entry.
C. It defines the action to be taken by the process.
D. It defines the run level of the process.
Correct Answer: C
QUESTION 6
Which of the following options is used with tar command to extract contents from a tar file?
Ax
Bt
Cf
Dc
Correct Answer: A
QUESTION 7
Which of the following commands is used to start a preconfigured network interface?
A. ping
B. ifup [interface name]
C. ifdown [interface name]
D. ifprobe [interface name]
Correct Answer: B



QUESTION 8

In Linux, which of the following files contains group information?
A. /etc/gp
B. /etc/group
C. /etc/login.defs
D. /etc/passwd
Correct Answer: B
QUESTION 9
Which of the following runlevel scripts of the /etc/init.d directory terminates all processes, removes swap space, unmounts all file systems, and either shuts down or reboots the computer?
A. halt
B. autofs
C. apmd
D. crond
Correct Answer: A
QUESTION 10
Which of the following commands can be used to check the status of RAID devices?
A. fsck
B. mkfs
C. mdadm
D. fdisk
Correct Answer: C
QUESTION 11
Which of the following images provide support for different types of network interface cards and other network devices?

- A. drvblock.img
- B. bootdisk.img



C. drvnet.img
D. pcmciadd.img
Correct Answer: C
QUESTION 12
In Linux, which of the following is the correct way to view a disk\\'s current partition configuration?
A. Run thefdisk command, and then type c at the command prompt.
B. Run thefdisk command, and then type f at the command prompt.
C. Run thefdisk command, and then type v at the command prompt.
D. Run thefdisk command, and then type p at the command prompt.
Correct Answer: D
QUESTION 13
You work as a Network Administrator for Tech Perfect Inc. The company has a Linux-based network. You are configuring a Linux computer. You want the Linux system to be booted in XWindow by default. Which of the following runlevels will you choose?
B. 3
C. 2
D. 6
Correct Answer: A
QUESTION 14
You work as a Network Administrator for McNeil Inc. The company has a Linux-based network. You want to create a new user account from the shell. Which of the following commands will you use?
A. CREATEUSER
B. USERADD
C. MOUNT
D. CRUSER
Correct Answer: B



QUESTION 15

Which of the following commands is used to set a user\\'s quota?

A. edquota

B. edquota user

C. edquota -p user

D. edquota -u user

Correct Answer: D

RH133 Practice Test

RH133 Exam Questions

RH133 Braindumps