

TABLEAU-CRM-AND-EINSTEIN-DISCOVERY-CONSULTANT^{Q&As}

Certified Tableau CRM and Einstein Discovery Consultant

Pass Salesforce TABLEAU-CRM-AND-EINSTEIN-DISCOVERY-CONSULTANT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/tableau-crm-and-einstein-discovery-consultant.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What happens if you first disable Analytics, and then you re-enable Analytics later? Select

- A. User permissions are removed from each defined permission set if Analytics is disabled.
- B. User permissions are not removed from each defined permission set if Analytics is disabled.
- C. You must define the permission sets again if Analytics is re-enabled.
- D. You must not define the permission sets again if Analytics is re-enabled.

Correct Answer: AC

https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf

QUESTION 2

Exhibit:

2	X00002	SOUTH	01/01/2018	100
3	X00003	-	01/02/2018	200
4	X00004	SOUTH	01/02/2018	100
5	X00005	SOUTH	01/03/2018	0
6	X00006	EAST	01/03/2018	300
7	X00007	NORTH	01/04/2018	0
8	X00008	-	01/04/2018	100
9	X00009	SOUTH	01/05/2018	500
10	X00010	EAST	01/05/2018	200
11	X00011	WEST	01/06/2018	700
12	X00012	EAST	01/06/2018	200

A shipping company created a dataset. "BookII," containing budget per region per month for the first six months of 2018. The dataset is shown in the graphic. Now, they want to create a lens showing the total budget for each region for each month. Every combination of region and month must be shown in the lens, even if there is no data.

How can an Einstein Consultant help this company build this lens?

- A. Use a SAQL query leveraging the "fill" statement with a "partition" parameter.
- B. Use a SAQL query to create fake rows for any data that is missing data from the dataset.
- C. Use a "Compare Table" and use the "Show summary" option.
- D. Use a "Compare Table" and add a column leveraging the "Running Total" function.

Correct Answer: A

QUESTION 3

In a story investigating margin, large variations between product groups are dominating the story. Which action might an Einstein Consultant take to resolve this?

- A. Add more data to the dataset.
- B. Normalize the margin by product group.
- C. Eliminate extreme values in the dataset.
- D. Run separate stories for each region.

Correct Answer: C

QUESTION 4

A company used Einstein Analytics to create two datasets:

1.

"Opportunity With Account" dataset, which contains data from the Opportunity standard object augmented by the Account data.

2.

"Case with Account" dataset, which contains data from the Case standard object augmented by the Account data.

The company wants to build a lens showing the total number of Opportunities and Cases per Account. How can a consultant help them build this lens?

- A. Create a recipe to generate a new dataset from the "OpportunityWithAccount" and "CaseWithAccount" datasets aggregated by Account, and use the generated dataset in a lens.
- B. Use "Compare Table" to join the "OpportunityWithAccount" and "CaseWithAccount" datasets using the "AccountId" and then aggregate by Account.
- C. Set up Connect Data Sources in the UI between the "OpportunityWithAccount" and "CaseWithAccount" datasets.
- D. Use a SAQL query to group and join the "OpportunityWithAccount" and "CaseWithAccount" datasets then generate the results.

Correct Answer: D

QUESTION 5

Which widget property allows a consultant to restrict the view to a domain bounded by the values entered?

- A. Add Custom Domain
- B. Filter by Range

C. Add Custom Range

D. Add Filter

Correct Answer: A

QUESTION 6

An Einstein Analytics team reports that when they start their dataflow it runs successfully with no errors or warnings, but one of the fields does not return values when it is queried.

What can be the origin of this issue?

- A. The field does not contain any data in Salesforce.
- B. The user who runs the dataflow does not have access to the field.
- C. The "Integration User Profile" does not have access to the field.
- D. The "Security User Profile" does not have access to the field.

Correct Answer: A

QUESTION 7

When Analytics runs a dataflow that accesses Salesforce objects, which user does it use?

- A. The current user
- B. The system administrator
- C. The Integration User
- D. The record owner

Correct Answer: C

QUESTION 8

How many external files can be uploaded to Einstein Analytics on a rolling 24-hour basis?

- A. 100 files per dataset
- B. 300 files per dataset
- C. 500 files per dataset
- D. 50 files Per dataset

Correct Answer: D

QUESTION 9

What are the two types of bindings? Choose 2:

- A. Results binding
- B. Data bindings
- C. Description bindings
- D. Selections bindings

Correct Answer: AD

QUESTION 10

In the Insights list, insights are ranked in what order?

- A. Time
- B. Geospatial
- C. Statistical significance
- D. Alphabetical E. There is no order

Correct Answer: C

QUESTION 11

Why would you use a merge key in a dataset recipe?

- A. To find out what the merge icons represent in a dataset
- B. To schedule when a dataset recipe runs
- C. To join related data from different sources
- D. To deal with duplicate records

Correct Answer: C

QUESTION 12

Which Einstein Analytics asset or assets are created when using an App Template to create an app?

- A. The app, dataflows and datasets, dashboards, and permission sets
- B. The app, dataflows and datasets, and dashboards

C. The app, dataflows and datasets, and users

D. An empty app

Correct Answer: B

QUESTION 13

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

A. Null hypothesis test

B. Significance level test

C. Critical region test

D. Chi-square test

E. T-test

Correct Answer: E

QUESTION 14

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

A. 8

B. 1

C. 4

D. 16

Correct Answer: D

QUESTION 15

In Einstein Analytics, which node is used in a dataflow to extract data from a registered dataset?

A. sfdcDigest

B. digest

C. export

D. edgemart

Correct Answer: D

[TABLEAU-CRM-AND-EINSTEIN-DISCOVERY-CONSULTANT VCE Dumps](#)

[TABLEAU-CRM-AND-EINSTEIN-DISCOVERY-CONSULTANT Exam Questions](#)

[TABLEAU-CRM-AND-EINSTEIN-DISCOVERY-CONSULTANT Braindumps](#)