

VCS-324^{Q&As}

Administration of Veritas Enterprise Vault 12.3

Pass Veritas VCS-324 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/vcs-324.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Storage Expiry is enabled.

How can messages from a single mailbox archive be prevented from deletion?

- A. clear the "Delete expired items from this archive automatically" check box in the archive properties
- B. use the Tools > Disable Mailboxes option
- C. mark the "Lock this category" check box in the Retention Category properties and restart the storage server
- D. create and apply an EVPM initialization file with "NONDeletable=True" against the mailbox

Correct Answer: A

QUESTION 2

How should an administrator eliminate automated out-of-office messages from the mailbox archives?

- A. remove the "IPM.Note.Rules.Oof.TemplateMicrosoft" message class in the Enterprise Vault Directory properties
- B. set a classification rule using the "evaction.discard" property and a short retention category
- C. click on the "do not archive pending reminder" setting in the Enterprise Vault Mailbox archiving policy
- D. define the "TAG=IPM.Note.Rules.Oof.Template.Microsoft" property in the Custom Properties.xml file

Correct Answer: A

QUESTION 3

An administrator notices the number of messages being archived per hour by the Exchange Journal Task is significantly lower than normal when compared to the baseline archiving rate. Which two explanations could be the cause of the performance reduction? (Select two.)

- A. SQL database fragmentation has occurred
- B. the journal task's archiving schedule window is too small
- C. one of the two journal tasks targeting the journal mailbox is failing to run
- D. the version of MAPISVC.inf is incompatible
- E. there is an intermittent connectivity problem between the Enterprise Vault and Exchange servers

Correct Answer: AE

QUESTION 4

An administrator finds several Failed Operations > Copy items when reviewing Operations Manager > Exchange Monitoring > Summary

Why are these items displaying as failed operations?

- A. there are corrupt messages in the user archives
- B. there are corrupt messages in the journal mailboxes
- C. user messages are failing conversion
- D. journal messages are failing conversion

Correct Answer: B

QUESTION 5

An administrator has enabled SMTP archiving. Some messages contain a custom X-Header called "Company.ConfidentialPlans" that is indexed by Enterprise Vault. Using Enterprise Vault Search, the administration notices that searches for the X-Header value return no items, but that the correct value of the X-Header is visible as a column in the results of other searches.

What should the administrator do, prior to rebuilding the index, so users are able to find items based on the X-Header value?

- A. SMTP Policy > X-Headers tab > select the Searchable checkbox
- B. SMTP Policy > X-Headers tab > change the name of the X-Header to "Company.ConfidentialPlans.Searchable"
- C. SMTP Policy > X-Headers tab > change the Type setting to "Searchable"
- D. SMTP Policy > X-Headers tab > deselect the Retrievable checkbox

Correct Answer: D

QUESTION 6

A Veritas Enterprise Vault (EV) implementation has been running for five years. New Vault Store partitions are created as the old Vault Store partitions become full, which is approximately every six months. The retention category is set for three years and Storage Expiry runs regularly. The open Vault Store partition is now full and all available storage devices are in use.

How should this issue be addressed with minimal impact on the EV server?

- A. set the current Vault Store Partition to Ready
- B. set the first Vault Store status to Ready
- C. open the first Vault Store Partition again
- D. migrate items older than six months

Correct Answer: C

QUESTION 7

An Enterprise Vault installation fails when it tries to register files. Which action should be taken to solve the problem?

- A. Reapply default permissions to the NTFS volume
- B. Restart the system and run the installation again
- C. Reset the vault service account password
- D. Re-run the Deployment Scanner

Correct Answer: B

QUESTION 8

What are two benefits of using client-driven PST migration? (Select two.)

- A. it is the fastest PST migration method
- B. corrupted PSTs are fixed automatically during migration
- C. it copies items it is loading in chunks into the local Vault Cache, avoiding extra downloads
- D. PST files bigger than 20GB are migrated in bigger chunks, avoiding the file table corruption in a PST file during migration
- E. it allows PST migration to continue while Outlook is open

Correct Answer: CE

QUESTION 9


Of which security group must the Vault Service Account be a member?

- A. the Application Administrators Group of the Enterprise Vault server
- B. the Exchange Administrators Group on each Exchange server
- C. the Local Administrators Group of the Enterprise Vault server
- D. the Built-in Exchange Organization Administrators Group

Correct Answer: C

QUESTION 10

Refer to the exhibit.



When is this policy setting required?

- A. when Enterprise Vault shortcuts are required in OWA 2007 or 2010
- B. when EV Search is required in OWA 2007 or 2010
- C. when the Restore function is required in OWA 2007 or 2010
- D. when the Archive function is required in OWA 2007 or 2010

Correct Answer: B

QUESTION 11

Which two customer scenarios are likely to result in multiple Enterprise Vault (EV) directories? (Select two.)

- A. separate active directory domains with bi-directional trusts
- B. security or administrative boundaries between different groups of the organization
- C. different retention policy requirements between different departments in the business
- D. different single instance requirements for different departments in the business
- E. very slow connectivity between archiving targets and EV servers in different data centers

Correct Answer: BE

QUESTION 12

The '\\Business\\' retention category has a retention period of one year. This retention category and the '\\Default Exchange Mailbox policy\\' are applied to the All Users Provisioning Group.

What happens after the scheduled archiving task runs?

- A. "One year" will be assigned as the retention period for the archived items
- B. "Business" will be assigned as the retention category for the archived items
- C. "All Users" will be assigned as the Provisioning Group for the archived items
- D. "Default user" will be assigned as the Mailbox policy for the archived items

Correct Answer: B

QUESTION 13

Enable recovery of user deleted items is enabled for an Enterprise Vault site and permanent deletion is set to the default of 14 days.

Which two statements apply for the first 14 days after a user deletes an item? (Select two.)

- A. the item appears in searches
- B. the item is available through browsing
- C. a shortcut for the item works
- D. the item contributes to archive quota usage
- E. the item is recoverable together with other deleted items

Correct Answer: CE

QUESTION 14

A user enabled for Vault Cache is unable to retrieve some archived items while disconnected from the network.

Which Vault Cache policy setting could be causing this behavior?

- A. "Offline store required" set to "Yes"
- B. "Lock for download item age limit" set to "Off"
- C. "Preemptive archiving in advance" set to "7"
- D. "Content strategy" set to "Store only items that user opens"

Correct Answer: D

QUESTION 15

When a user is enabled for archiving, an e-mail is sent from the Enterprise Vault system mailbox.

Which permissions must be granted to the Vault Service Account for this feature to work properly?

A. Log on as a service

B. Receive As

C. log on remotely

D. Send As

Correct Answer: C

[VCS-324 PDF Dumps](#)

[VCS-324 VCE Dumps](#)

[VCS-324 Exam Questions](#)