

ZF-100-500^{Q&As}

Zend Framework Certification

Pass Zend-Technologies ZF-100-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/zf-100-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Zend-Technologies Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Which of the following are the features of Zend_Layout? Each correct answer represents a complete solution. Choose all that apply.

- A. It is the configuration of layout name, inflection, and path.
- B. It can be used with ZF MVC components.
- C. It is used to disable layouts and change scripts.
- D. It has a separate scope for layout-related variables and content.

Correct Answer: ACD

QUESTION 2

Which method is used to clear or invalidate a particular cache ID?

- A. delete()
- B. cancel()
- C. remove()
- D. clear()

Correct Answer: C

QUESTION 3

CORRECT TEXT

Fill in the blank with the appropriate method name. The_____ method is used to check whether a date is valid or not.

- A. isDate()

Correct Answer: A

QUESTION 4

Which method is used to load a PHP file that may contain any PHP code?

- A. Zend_Loader::load()
- B. Zend_Loader::load()::includeFile()

C. Zend_Loader::load()::includeOnce()

D. Zend_Loader::loadFile()

Correct Answer: D

QUESTION 5

CORRECT TEXT

Fill in the blank with the appropriate term. _____ is used to process all requests that are received by the server and then dispatch them to the appropriate action controllers.

A. Zend_Controller_Front

Correct Answer: A

QUESTION 6

CORRECT TEXT

Fill in the blank with the appropriate method name. The _____ method is used to convert an existing money value to a localized currency formatted output.

A. toCurrency()

Correct Answer: A

QUESTION 7

Which of the following keywords will you use to set the default timezone? Each correct answer represents a complete solution. Choose all that apply.

A. date.timezone setting in php.ini

B. set_default_timezone

C. set_timezone

D. date_default_timezone_set()

Correct Answer: AD

QUESTION 8

Which of the following methods is used to change the session configuration options?

- A. Zend_Session::start()
- B. Zend_Session::setOptions()
- C. Zend_Session_Namespace()
- D. Zend_config_options

Correct Answer: B

QUESTION 9

Which of the following is the method that is used to check whether the version required for running the application exists or not?

- A. \$var = Zend_Version->compareVersion(\$version)
- B. Zend_compareVersion(\$version)
- C. Zend_Version::VERSION
- D. Zend_Version::compareVersion(\$version)

Correct Answer: D

QUESTION 10

What will be the output of the following PHP script?

```
document_element();
```

```
print_r($a);
```

```
?>
```

- A. It will display the root element of the XML file.
- B. It will display the XML code of the XML file.
- C. It will throw an error.
- D. It will display the contents of the XML file.

Correct Answer: A

QUESTION 11

Which of the following is used to render a specific template within its own variable scope?

A. Action View Helpers

B. Initial Helpers

C. Partial Helpers

D. View Helpers

Correct Answer: C

QUESTION 12

Ross creates a database for a school. He creates two tables named Students and Courses. Which of the following SELECT statements will he use to define an outer join?

A. SELECT Stud.Student_ID, Cou.Course_ID FROM Students Stud, Courses Cou WHERE Stud.Course_ID (+) = Cou.Course_ID;

B. SELECT Stud.Student_ID, Cou.Course_ID FROM Students Stud, Courses Cou WHERE Stud.Fees BETWEEN Cou.Min_Fees and Cou.Max_Fees;

C. SELECT Stud.Student_ID, Cou.Course_ID FROM Students Stud, Courses Cou WHERE Stud.Course_ID = Cou.Course_ID;

D. SELECT Stud.Student_ID, Cou.Course_ID FROM Students Stud, Courses Cou WHERE Stud.Student_ID = Cou.Course_ID;

Correct Answer: A

QUESTION 13

Which of the following is used to provide a tree structure onto which multiple resources can be added?

A. Zend_Acl_Assert_Interface

B. Zend_Acl_Assert

C. Zend_Acl_Role

D. Zend_Acl

Correct Answer: D

QUESTION 14

CORRECT TEXT

Fill in the blank with the appropriate method name. The _____ method is used to retrieve headers when the storage has been opened.

A. getHeader()

Correct Answer: A

Answer:

QUESTION 15

Which of the following code snippets will create a memory manager object?

A. `$memoryManager = Zend_Memory::=>factory(\\'None\\');`

B. `$memoryManager = Zend_Memoryfactory::None;`

C. `$memoryManager = Zend_Memory::factory.None;`

D. `$memoryManager = Zend_Memory::factory(\\'None\\');`

Correct Answer: D

[ZF-100-500 PDF Dumps](#)

[ZF-100-500 Study Guide](#)

[ZF-100-500 Braindumps](#)