

2V0-641^{Q&As}

VMware Certified Professional 6 – Network Virtualization Beta

Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/2v0-641.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the packet size of the VXLAN standard test packet when using the Ping test on the logical switches?

- A. 1500
- B. 1550
- C. 1575
- D. 1600

Correct Answer: B

QUESTION 2

Which action is not an option for adding Virtual Machines to a Security Group?

- A. Adding Virtual Machines to a Security Group and nesting it within another Security Group.
- B. Defining Dynamic Membership in the Security Group.
- C. Adding Virtual Machines to a Security Policy and associating it with a Security Group.
- D. Selecting objects to include within a Security Group.

Correct Answer: C

QUESTION 3

An administrator wishes to upgrade to NSX from the following infrastructure.

vCenter Server 4.1

vShield 5.0

ESXi hosts 4.1

What is a valid, minimum set of steps to properly upgrade this environment to NSX?

- A.
 1. Upgrade vCenter Server 4.1 to vCenter Server 5.5
 2. Upgrade vShield 5.0 to vShield 5.5
 3. Upgrade ESXi hosts to ESXi 5.1 or greater

4.

Install the NSX upgrade bundle

B.

1. Upgrade vCenter Server 4.1 to vCenter Server 5.1

2.

Upgrade vCenter Server 5.1 to vCenter Server 5.5

3.

Upgrade ESXi hosts to ESXi 5.1 or greater

4.

Install the NSX upgrade bundle

C.

1. Upgrade vCenter Server 4.1 to vCenter Server 5.5

2.

Upgrade ESXi hosts to ESXi 5.1 or greater

3.

Install the NSX upgrade bundle

D.

1. Upgrade vCenter Server 4.1 to vCenter Server 5.5

2.

Upgrade vShield 5.0 to vShield 5.5

3.

Install the NSX upgrade bundle

Correct Answer: A

QUESTION 4

A vSphere administrator deploys the NSX Edge Load Balancer in Inline mode. Which is not a requirement for the Load Balancer to operate correctly?

A. Perform Source NAT on the traffic from the clients.

B. Connect the Load Balancer directly to the same subnet as the VMs that are part of the Server Pool.

C. Perform Destination NAT on the traffic from the clients.

D. Point the virtual machines in the Server Pool to the Load Balancer as their default gateway.

Correct Answer: A

QUESTION 5

A new ESXi 5.5 host is deployed in a vSphere environment with VMware NSX for vSphere. How can the host be prepared for VMware NSX for vSphere?

A. By using Image Builder to pre-load the NSX for vSphere VIBs in the ESXi image in an Auto Deploy solution.

B. By leveraging VMware Update Manager to install the new NSX for vSphere VIBs into each of the hosts.

C. By creating a new VMkernel port in the host from the Host and Clusters inventory view in vSphere Web Client.

D. By entering the ESXi 5.5 management IP address in the NSX Controllers so the VIBs can be installed.

Correct Answer: A

[2V0-641 VCE Dumps](#)

[2V0-641 Practice Test](#)

[2V0-641 Exam Questions](#)